



Message Implementation Guideline

DSV_StatusMessage

Model: DSV XML Status Inbound
Version: v1.9
Issue date: 2025-05-07
Author: DSV A/S, EDI

Change Log

No	Changes	
01	Date (YYYY-MM-DD) 2020-04-29 Author DSV A/S, EDI CRQ v1.6 Tag Stage Path DSV_StatusMessage/ShipmentStatus/Shipment/StatusDetails/TransportStages/TransportStage/Stage Change Description Enable mapping of CarrierId and TransportId	
02	Date (YYYY-MM-DD) 2020-06-24 Author DSV A/S, EDI CRQ V 1.4 Tag Type Path DSV_StatusMessage/ShipmentStatus/Shipment/StatusDetails/References/ReferenceGroup/Reference/@Type Change Description ReferenceType "CustomsEntryNumber" added to list of Codes.	
03	Date (YYYY-MM-DD) 2020-06-24 Author DSV A/S, EDI CRQ V 1.4 Tag Identifier Path DSV_StatusMessage/ShipmentStatus/Shipment/StatusDetails/References/ReferenceGroup/Reference/@Identifier Change Description Enabled segment "Identifier", should be used in combination with ReferenceType "CustomsEntryNumber".	
04	Date (YYYY-MM-DD) 2020-06-24 Author DSV A/S, EDI CRQ V 1.4 Tag Type Path DSV_StatusMessage/ShipmentStatus/Shipment/StatusDetails/Dates/Date/@Type Change Description "IssueDate" added in available codes for Date@Type	
05	Date (YYYY-MM-DD) 2021-09-01 Author DSV A/S, EDI CRQ V 1.5 Tag Qualifier Path DSV_StatusMessage/ShipmentStatus/Shipment/StatusDetails/References/ReferenceGroup/Reference/@Qualifier Change Description Enabled ShipmentId/@Qualifier to be used for References connected to a Shipment/Consol, with Shipment/@Type= "ShipmentReference" or "ConsolReference" and the actual Reference should be in ShipmentId/@Qualifier as shown in DSV Example Notes.	
06	Date (YYYY-MM-DD) 2022-04-29 Author DSV A/S, EDI CRQ V 1.6 Tag Identifier Path DSV_StatusMessage/ShipmentStatus/Shipment/StatusDetails/References/ReferenceGroup/Reference/@Identifier Change Description "AESInternalTransaction" added in available codes for Reference/@Identifier	
07	Date (YYYY-MM-DD) 2022-06-03 Author DSV A/S	

Change Log

No	Changes	
	CRQ	v1.6
	Tag	References
	Path	DSV_StatusMessage/ShipmentStatus/Shipments/Shipment/StatusDetails/TransportStages/TransportStage/References
	Change Description	Enable mapping of /StatusDetails/TransportStages/TransportStage/References
08	Date (YYYY-MM-DD)	2022-06-03
	Author	DSV A/S
	CRQ	v1.6
	Tag	EquipmentType
	Path	DSV_StatusMessage/ShipmentStatus/Shipments/Shipment/StatusDetails/EquipmentUnits/EquipmentUnit/EquipmentType
	Change Description	Enable mapping of /StatusDetails/EquipmentUnits/EquipmentUnit/EquipmentType
09	Date (YYYY-MM-DD)	2023-06-02
	Author	DSV A&S EDI
	CRQ	V1.8
	Tag	StatusEventCode <A&S>
	Path	DSV_StatusMessage/ShipmentStatus/Shipments/Shipment/StatusDetails/Status/StatusEventCode<A&S>
	Change Description	Add available status event code values for Air & Sea: CargoCheckIn ClearAdmission DeliveryCartageFinalised FreightLoaded PickupCartageFinalised
10	Date (YYYY-MM-DD)	2023-5-07
	Author	DSV A/S EDI
	CRQ	V1.9
	Tag	StatusEventCode <A&S>
	Path	DSV_StatusMessage/ShipmentStatus/Shipments/Shipment/StatusDetails/Status/StatusEventCode<A&S>
	Change Description	Add available status event code values for Air & Sea: SetToActive CustomsFileCreated ClearanceInstructionsReceived DeliveryOrderReceived FreightUnloaded GateInCFS GateOutCFS SetToInactive CustomsHold CustomsReported

Structure

Occurrence	Element/Attribute
	DSV_StatusMessage
1 .. 1	xs:sequence
1 .. 1	Header
1 .. 1	xs:sequence
1 .. 1	MessageId
1 .. 1	SenderId
1 .. 1	ReceiverId
1 .. 1	DocumentDate
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
1 .. 1	DocumentCode
1 .. 1	Function
1 .. 1	Version
1 .. 1	ShipmentStatus
1 .. 1	xs:sequence
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	TransportServices
1 .. 1	xs:sequence
0 .. unbounded	TransportService
1 .. 1	xs:sequence
0 .. 1	ServiceCode
0 .. 1	PriorityCode
0 .. 1	Parties
1 .. 1	xs:sequence
0 .. unbounded	Party
1 .. 1	xs:sequence
0 .. 1	PartyDetails
required	<i>Role</i>
1 .. 1	xs:sequence
0 .. 1	Id
0 .. 1	Assignor
0 .. unbounded	Contact
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	Name
0 .. 1	Phone
0 .. 1	Mobile
0 .. 1	Email
0 .. 1	References
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Date
required	Type
required	Format
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. 1	Locations
1 .. 1	xs:sequence
0 .. unbounded	Location
required	Type
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	Shipments
1 .. 1	xs:sequence
0 .. unbounded	Shipment
1 .. 1	xs:sequence
1 .. 1	ShipmentId
optional	Type
optional	Qualifier
0 .. unbounded	StatusDetails
1 .. 1	xs:sequence
0 .. 1	Status
required	Type
optional	Level
1 .. 1	xs:sequence
0 .. 1	StatusEventCode
0 .. 1	StatusEventCode <A&S>
0 .. 5	StatusReasonCode
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
optional	Identifier
optional	CustomFieldType
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	Date
required	Type
required	Format
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	└─ DateTime
0 .. 1	FreeTextData
1 .. 1	└─ xs:sequence
0 .. unbounded	FreeText
required	└─ <i>Type</i>
1 .. 1	└─ xs:sequence
0 .. 1	└─ DescriptionCode
0 .. 1	└─ TextLine1
0 .. 1	└─ TextLine2
0 .. 1	└─ TextLine3
0 .. 1	└─ TextLine4
0 .. 1	└─ TextLine5
0 .. 1	Parties
1 .. 1	└─ xs:sequence
0 .. unbounded	Party
1 .. 1	└─ xs:sequence
0 .. 1	PartyDetails
required	└─ <i>Role</i>
0 .. unbounded	Contact
required	└─ <i>Type</i>
1 .. 1	└─ xs:sequence
0 .. 1	└─ Name
0 .. 1	└─ Phone
0 .. 1	└─ Mobile
0 .. 1	└─ Fax
0 .. 1	└─ Email
0 .. 1	Locations
1 .. 1	└─ xs:sequence
0 .. unbounded	Location
required	└─ <i>Type</i>
1 .. 1	└─ xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	└─ <i>Type</i>
0 .. 1	└─ xs:sequence
0 .. 1	└─ LocationIdentifier
0 .. 1	└─ LocationName
1 .. unbounded	LocationIdentification <FacilityType>
1 .. 1	└─ <i>Type</i>
0 .. 1	└─ xs:sequence
0 .. 1	└─ LocationIdentifier
0 .. unbounded	Location <ActivityLocation>
required	└─ <i>Type</i>
1 .. 1	└─ xs:sequence
1 .. unbounded	LocationIdentification
1 .. 1	└─ <i>Type</i>
0 .. 1	└─ xs:sequence
0 .. 1	└─ LocationIdentifier
0 .. 1	└─ LocationName
0 .. unbounded	Location <PlaceOfRegistration>
required	└─ <i>Type</i>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
1 .. 1	xs:sequence
1 .. unbounded	LocationIdentification
	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
0 .. 1	LocationName
0 .. 1	TransportStages
1 .. 1	xs:sequence
0 .. unbounded	TransportStage
1 .. 1	xs:sequence
0 .. 1	Stage
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	TransportId
0 .. 1	CarrierId
0 .. 1	References
1 .. 1	xs:sequence
0 .. unbounded	ReferenceGroup
1 .. 1	xs:sequence
0 .. 1	Reference
required	<i>Type</i>
0 .. 1	GoodsItems
1 .. 1	xs:sequence
0 .. unbounded	GoodsItem
1 .. 1	xs:sequence
0 .. 1	Item
1 .. 1	xs:sequence
0 .. 1	ItemNumber
0 .. 1	PackageQty
0 .. 1	PackageType
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded	Measurement
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded	Dimension
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	Packagelds
1 .. 1	xs:sequence
	GoodsIdentities

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
0 .. unbounded required	
1 .. 1	Type
1 .. unbounded	xs:sequence
	GoodsIdentifier
0 .. 1	EquipmentUnits
1 .. 1	xs:sequence
0 .. unbounded	EquipmentUnit
1 .. 1	xs:sequence
0 .. 1	EquipmentType
1 .. 1	xs:sequence
0 .. 1	Type
0 .. 1	UnitId
0 .. 1	SizeTypeCode
0 .. 1	ISOCODE
0 .. 1	FullOrEmptyIndicator

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Guideline

Element/Attribute	Annotation
DSV_StatusMessage	Type dsv_statusmessage:DSV_StatusMessage Occurrence 1 .. 1
xs:sequence	
Header	Occurrence 1 .. 1 Type sharedelements:Header General Notes MESSAGE HEADER Examples <Header> <MessageId>StatusSample</MessageId> <SenderId>SenderId</SenderId> <ReceiverId>ReceiverId</ReceiverId> <DocumentDate Type="DocumentDate" Format="DateTime"> <DateTime>201909141146</DateTime> </DocumentDate> <DocumentCode>ConsignmentStatusReport</DocumentCode> <Function>New</Function> <Version>1.0</Version> </Header>
xs:sequence	
MessageId	Occurrence 1 .. 1 Occurrence 1 .. 1 Type xs:string General Notes MESSAGE IDENTIFIER
SenderId	Occurrence 1 .. 1 Type xs:string General Notes SENDER IDENTIFICATION Mutually agreed
ReceiverId	Occurrence 1 .. 1 Type xs:string General Notes RECEIVER IDENTIFICATION Mutually agreed
DocumentDate	Occurrence 1 .. 1 Type sharedelements:Date General Notes DOCUMENT / MESSAGE DATE
Type	Type xs:string Use required General Notes DOCUMENT / MESSAGE DATE TYPE
Format	Applicable Codes IssueDate Issue Date Type xs:string Use required General Notes DOCUMENT / MESSAGE DATE FORMAT
xs:sequence	
DateTime	Applicable Codes DateTime CCYYMMDDHHMM DateTimeSec CCYYMMDDHHMMss Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes DOCUMENT / MESSAGE DATE
DocumentCode	Occurrence 1 .. 1 Type xs:string General Notes DOCUMENT TYPE

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
Function	Applicable Codes
	ConsignmentStatusReport Consignment Statusreport
	Occurrence 1 .. 1
	Type xs:string
Version	General Notes DOCUMENT/MESSAGE FUNCTION
	Applicable Codes
	Delete Delete/Cancellation
	New New
ShipmentStatus	Update Update
	Occurrence 1 .. 1
	Type xs:string
	General Notes MESSAGE VERSION
Dates	Applicable Codes
	1.0 Version 1.0
	Occurrence 1 .. 1
	Type shipmentstatus:ShipmentStatus
Date	General Notes SHIPMENT STATUS DETAILS
	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type shipmentstatus:DateList
Type	General Notes SHIPMENT STATUS DATES
	Examples
	<Dates>
	<Date Type="IssueDate" Format="DateTime">
Format	<DateTime>201910271450</DateTime>
	</Date>
	</Dates>
Date	Occurrence 1 .. 1
	Occurrence 0 .. unbounded
	Type sharedelements:Date
	Type xs:string
DateTime	Use required
	General Notes SHIPMENT STATUS DATE TYPE
	Applicable Codes
	IssueDate Issue date
DateTime	Type xs:string
	Use required
	General Notes SHIPMENT STATUS DATE FORMAT
	Applicable Codes
DateTime	DateTime CCYYMMDDHHMM
	DateTimeSec CCYYMMDDHHMMss
	Occurrence 1 .. 1
	Occurrence 0 .. 1
TransportServices	Type xs:string
	General Notes SHIPMENT STATUS DATE / TIME
	Occurrence 0 .. 1
	Type shipmentstatus:TransportServiceList
TransportServices	General Notes TRANSPORT SERVICES
	Examples
	<TransportServices>
	<TransportService>
TransportServices	<ServiceCode>LTL</ServiceCode>
	<PriorityCode>Normal</PriorityCode>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	Examples <CargoType>3</CargoType> </TransportService> </TransportServices>
xs:sequence	Occurrence 1 .. 1
TransportService	Occurrence 0 .. unbounded
xs:sequence	Type sharedelements:TransportService
ServiceCode	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type xs:string
	General Notes SERVICE CODE
	Applicable Codes
	FCL Full Container Load
	FTL Full Truck Load
	IATA IATA bill
	LCL Less than full Container Load
	LSE Loose Cargo
	LTL Less than full Truck Load
PriorityCode	Occurrence 0 .. 1
	Type xs:string
	General Notes PRIORITY CODE
	Applicable Codes
	Express Express Service
	HighSpeed High Speed Service
	Normal Normal Service
Parties	Occurrence 0 .. 1
	Type shipmentstatus:PartiesList
	General Notes SHIPMENT PARTIES
	Examples
	<Parties> <Party> <PartyDetails Role="Driver"> <Id>2014714</Id> <Assignor>Consignor</Assignor> </PartyDetails> <Contact Type="InformationContact"> <Name>Donald Duck</Name> <Phone>040-11223344</Phone> </Contact> </Party> <Party> <PartyDetails Role="Department"> <Id>2014714</Id> <Assignor>Consignor</Assignor> </PartyDetails> <Contact Type="Department"> <Name>Minnie Mouse</Name> <Email>DKSER</Email> </Contact> </Party> <Party> <PartyDetails Role="Haulier"> <Id>2014714</Id> <Assignor>DSV</Assignor> </PartyDetails> <Contact Type="Haulier"> <Name>Daisy Duck</Name>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
Examples <Mobile>040-11223344</Mobile> </Contact> </Party> <Party> <PartyDetails Role="Attention"> <Id>2125020</Id> <Assignor>GS1</Assignor> </PartyDetails> <Contact Type="Attention"> <Name>Mister Blue</Name> <Email>BLUE@MAIL.COM</Email> </Contact> </Party> </Parties>	
xs:sequence	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded Type shipmentstatus:PartyList
xs:sequence	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1 Type sharedelements:PartyDetails General Notes SHIPMENT PARTY DETAILS
<i>Role</i>	Type xs:string Use required General Notes PARTY ROLE
Applicable Codes Attention Attention Department DSV Department Driver Driver Haulier Haulier MessageRecipient Message Recipient	
xs:sequence	Occurrence 1 .. 1
Id	Occurrence 0 .. 1 Type xs:string General Notes PARTY IDENTIFIER
Assignor	Occurrence 0 .. 1 Type xs:string General Notes PARTY IDENTIFIER ASSIGNOR
Applicable Codes Consignor Consignor assigned DSV DSV assigned GS1 GS1 assigned	
Contact	Occurrence 0 .. unbounded Type sharedelements:Contact General Notes PARTY CONTACT
<i>Type</i>	Type xs:string Use required General Notes PARTY CONTACT TYPE
Applicable Codes Attention Attention Department DSV Department Driver Driver Contact Haulier Haulier InformationContact Party Information Contact	
xs:sequence	Occurrence 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
Name	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT TELEPHONE NUMBER
Mobile	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT MOBILE PHONE NUMBER
Email	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT E-MAIL ADDRESS
References	Occurrence 0 .. 1 Type shipmentstatus:ReferenceGroupList General Notes SHIPMENT REFERENCES Examples <References> <ReferenceGroup> <Reference Type="MotorVehicleId" Identifier="SE">ABC123</Reference> <Date Type="EventDate" Format="DateTime"> <DateTime>201910271010</DateTime> </Date> </ReferenceGroup> <ReferenceGroup> <Reference Type="CargoManifestNo">ABC460-1234</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ScanQuality">73</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type shipmentstatus:ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type sharedelements:Reference General Notes SHIPMENT REFERENCE
Type	Type xs:string Use required General Notes REFERENCE TYPE Predefined Types listed, additional reference types to be agreed
Applicable Codes CargoManifestNo Cargo manifest number, Transport Id MotorVehicleId Motor vehicle identification number ScanQuality Scan quality	
Identifier	Type xs:string Use optional General Notes TRANSPORT/CONSOLIDATION REFERENCE IDENTIFIER When "MotorVehicleId" is provided in: /

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation										
	DSV_StatusMessage/ShipmentStatus/References/ReferenceGroup/Reference/@Type, CountryCode should be provided in /DSV_StatusMessage/ShipmentStatus/References/ReferenceGroup/Reference/@Identifier										
<i>CustomFieldType</i>	<p>Type xs:string Use optional General Notes CUSTOM FIELD TYPE Use to be agreed</p> <p>Applicable Codes</p> <table> <tr> <td>Boolean</td><td>Boolean custom field</td></tr> <tr> <td>DateTime</td><td>Date Time Custom field</td></tr> <tr> <td>Decimal</td><td>Decimal custom field</td></tr> <tr> <td>Integer</td><td>Integer custom field</td></tr> <tr> <td>String</td><td>String Custom field</td></tr> </table>	Boolean	Boolean custom field	DateTime	Date Time Custom field	Decimal	Decimal custom field	Integer	Integer custom field	String	String Custom field
Boolean	Boolean custom field										
DateTime	Date Time Custom field										
Decimal	Decimal custom field										
Integer	Integer custom field										
String	String Custom field										
Date	<p>Occurrence 0 .. 1 Type sharedelements:Date General Notes REFERENCE DATE</p> <p>When "MotorVehicleId" is provided in: /DSV_StatusMessage/ShipmentStatus/References/ReferenceGroup/Reference/@Type, "EventDate" should be used in /DSV_StatusMessage/ShipmentStatus/References/ReferenceGroup/Date/@Type</p>										
<i>Type</i>	<p>Type xs:string Use required General Notes REFERENCE DATE TYPE "EventDate" should be used when Reference@Type="MotorVehicleId" is used.</p> <p>Applicable Codes</p> <table> <tr> <td>EventDate</td><td>Event date</td></tr> </table>	EventDate	Event date								
EventDate	Event date										
<i>Format</i>	<p>Type xs:string Use required General Notes REFERENCE DATE FORMAT</p> <p>Applicable Codes</p> <table> <tr> <td>DateTime</td><td>YYYYMMDDHHMM</td></tr> <tr> <td>DateTimeSec</td><td>YYYYMMDDHHMMss</td></tr> </table>	DateTime	YYYYMMDDHHMM	DateTimeSec	YYYYMMDDHHMMss						
DateTime	YYYYMMDDHHMM										
DateTimeSec	YYYYMMDDHHMMss										
xs:sequence DateTime	<p>Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes REFERENCE DATE / TIME</p>										
Locations	<p>Occurrence 0 .. 1 Type shipmentstatus:LocationList General Notes DSV BRANCH LOCATION</p> <p>Examples</p> <pre><Locations> <Location Type="BranchLocation"> <LocationIdentification Type="ISOCountry"> <LocationIdentifier>SE</LocationIdentifier> </LocationIdentification> </Location> </Locations></pre>										
xs:sequence Location	<p>Occurrence 1 .. 1 Occurrence 0 .. unbounded Type sharedelements:Location</p>										

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<i>Type</i>	Type xs:string Use required General Notes LOCATION TYPE
<i>xs:sequence</i>	Applicable Codes BranchLocation Branch Location
LocationIdentification	Occurrence 1 .. 1 Occurrence 1 .. unbounded Type sharedelements:LocationIdentification
<i>Type</i>	Type xs:string General Notes LOCATION IDENTIFICATION TYPE
<i>xs:sequence</i>	Applicable Codes ISOCountry ISO Country Code
LocationIdentifier	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes LOCATION IDENTIFIER ISO CountryCode of the BranchLocation
Shipments	Occurrence 0 .. 1 Type shipmentstatus:ShipmentList General Notes SHIPMENTS
<i>xs:sequence</i>	Occurrence 1 .. 1
Shipment	Occurrence 0 .. unbounded Type shipmentstatus:Shipment General Notes SHIPMENT DETAILS Sea Notes CONTAINER STATUS UPDATE Required: / ShipmentId = DSV Consol identifier, Type = "TransportMaster" or / ShipmentId = Master Bill number, Type = "MasterBill" / Status Level="Container" Container number for update must be provided either as - /Status/References/ReferenceGroup/Reference Type="ContainerNumber" or - /EquipmentUnits/EquipmentUnit/EquipmentType/UnitId Optionally provide: - /EquipmentUnits/EquipmentUnit/EquipmentType/ FullOrEmptyIndicator - /Locations/Location Type="StatusLocation" /LocationIdentification Type = "UN" and/or /LocationIdentification Type = "FacilityType"
<i>xs:sequence</i>	Occurrence 1 .. 1
ShipmentId	Occurrence 1 .. 1 Type shipmentstatus:ShipmentId General Notes SHIPMENT IDENTIFIER Examples <ShipmentId>1234567890</ShipmentId>
<i>Type</i>	Type xs:string Use optional

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation												
	General Notes SHIPMENT IDENTIFIER TYPE Examples <ShipmentId Type="ShipmentReference">ABCD1234567</ShipmentId> <ShipmentId Type="TransportMaster">CDK123456</ShipmentId>												
	Applicable Codes <table> <tr> <td>CarriersBooking</td><td>Carriers Booking Reference</td></tr> <tr> <td>MasterBill</td><td>Master Bill Number</td></tr> <tr> <td>OrderNumber</td><td>Order Number</td></tr> <tr> <td>ShipmentReference</td><td>ShipmentReference</td></tr> <tr> <td>TransportBooking</td><td>Transport Booking Reference</td></tr> <tr> <td>TransportMaster</td><td>DSV Consol identifier</td></tr> </table>	CarriersBooking	Carriers Booking Reference	MasterBill	Master Bill Number	OrderNumber	Order Number	ShipmentReference	ShipmentReference	TransportBooking	Transport Booking Reference	TransportMaster	DSV Consol identifier
CarriersBooking	Carriers Booking Reference												
MasterBill	Master Bill Number												
OrderNumber	Order Number												
ShipmentReference	ShipmentReference												
TransportBooking	Transport Booking Reference												
TransportMaster	DSV Consol identifier												
Qualifier	Type xs:string Use optional General Notes SHIPMENT IDENTIFIER QUALIFIER Use to be agreed Examples <ShipmentId Type="ShipmentReference" Qualifier="CNO">2919917</ShipmentId>												
StatusDetails	Occurrence 0 .. unbounded Type shipmentsstatus:StatusDetailslist General Notes STATUS DETAILS												
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type sharedelements:Status												
Status	Examples <StatusDetails> <Status Type="Consignment"> <StatusEventCode>Delivered</StatusEventCode> <StatusReasonCode>ItemsNotScanned</StatusReasonCode> <StatusReasonCode>DeliveredWithoutSignature</StatusReasonCode> </Status> </StatusDetails> <StatusDetails> <Status Type="GoodsItem"> <StatusEventCode>Measured</StatusEventCode> <StatusReasonCode>DeliveredWithoutSignature</StatusReasonCode> <StatusReasonCode>ItemsNotScanned</StatusReasonCode> <StatusReasonCode>CancelQueue</StatusReasonCode> <StatusReasonCode>AuthorizedSiteIDNotScanned</StatusReasonCode> </Status> </StatusDetails>												
Type	Type xs:string Use required General Notes SHIPMENT STATUS TYPE Use "Consignment" for statuses on the whole consignment/shipment. Use "GoodsItem" for statuses on a single goods item.												

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	Applicable Codes Consignment Status on consignment Level GoodsItem Status on goods Item Level
<i>Level</i>	Type xs:string Use optional General Notes STATUS LEVEL Examples <Status Type="Consignment" Level="Container"> <StatusEventCode>ActualDelivery</StatusEventCode> </Status>
	Applicable Codes Container Container
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes SHIPMENT STATUS EVENT CODE (ROAD) In the description for each event code, there is a DSV defined code and a DSV Division indicator. R indicates that it is mainly used for Road.
StatusEventCode	Examples <StatusEventCode>ArriveDelivery</StatusEventCode> Code Name: Arrive Delivery (154 - R)
	Applicable Codes Arrival Arrival (1 - R) ArriveCollection Arrive Collection (153- R) ArriveDelivery Arrive Delivery (154 - R) CancelCollection Cancel Collection (157 - R) CancelDelivery Cancel Delivery (158 - R) Collected Collected (13 - R) CollectionReloaded Collection Reloaded (152 - R) Delivered Delivered (21 - R) Delivery Delivery (14 - R) DeliveryReloaded Delivery Reloaded (151 - R) Departed Departed / Loaded (48 - R) Departure Departure/ Loaded (27 - R) KeptInStorage Unknown/Kept in storage (90 - R) Measured Measured (127 - R) NotCollected Not Collected (54 - R) NotDelivered Not Delivered (55 - R) StartCollection Start Collection (155 - R) StartDelivery Start Delivery (156 - R)
StatusEventCode <A&S>	Occurrence 0 .. 1 Type xs:string General Notes SHIPMENT STATUS EVENT CODE (AIR AND SEA) In the description for each event code, there is a DSV defined code and a DSV Division indicator. A&S indicates that it is mainly used for Air&Sea Examples <StatusEventCode>Arrived</StatusEventCode> Code Name: Arrived (ARV - A&S)
	Applicable Codes ActualDelivery Actual Delivery (DLV - A&S)

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
Applicable Codes	
ActualPickup	Actual Pickup (PUP - A&S)
ArrivalNoticeSendingDate	Arrival Notice Sending Date (DDV - A&S)
Arrived	Arrived (ARV - A&S)
CargoAvailable	Cargo Available (CAV - A&S)
CargoAvailableAtDeconsolidator	Cargo Available At Deconsolidator (CVD - A&S)
CargoAvailableForExportPickup	Cargo Available For Export Pickup (CAE - A&S)
CargoCheckIn	Cargo Check-in (CCI - A&S)
ClearAdmission	Customs Clear Admission (CES - A&S)
ClearanceInstructionsReceived	Clearance instructions received
CustomsCleared	Customs Cleared (CLR - A&S)
CustomsCommenced	Customs Commenced (CCC - A&S)
CustomsFileCreated	Customs file created
CustomsHold	Customs Hold
CustomsReported	Customs Reported
Dehire	Container Dehire (DHR - A&S)
DeliveryCartageFinalised	Delivery Cartage Finalised / Completed (DCF - A&S)
DeliveryOrderReceived	Delivery order received
ExWorks	Ex Works (EXW - A&S)
ExportCustomsCleared	Export Customs Cleared (ECC - A&S)
ExportCustomsCommenced	Export Customs Commenced (ECM - A&S)
FreightLoaded	Freight Loaded (FLO - A&S)
FreightUnloaded	Freight Unloaded
GateIn	Container Gate-In (GIN - A&S)
GateInCFS	Gate In CFS
GateOut	Container Gate-Out (GOU - A&S)
GateOutCFS	Gate Out CFS
HandoverCargo	Handover of Cargo (Z73 - A&S)
HandoverDocuments	Handover of Documents (Z74 - A&S)
HandoverResponsibility	Handover Responsibility of Cargo (Z70 - A&S)
InterimReceipt	Interim Receipt (IRP - A&S)
ManifestSubmittedToForwarder	Manifest Submitted to Forwarder (MSF - A&S)
PickupCartageFinalised	Pickup Cartage Finalised / Completed (PCF - A&S)
SetToActive	Set to Active
SetToInactive	Set To Inactive
WarehouseReceipt	Warehouse Receipt (WHR - A&S)
StatusReasonCode	<p>Occurrence 0 .. 5</p> <p>Type xs:string</p> <p>General Notes SHIPMENT STATUS REASON CODE Reason codes are mainly used for Road division. In the description there is a correlating DSV defined code that are used in the DSV STD D10B IFTSTA inbound message.</p> <p>Examples E.g. Address closed (7)</p> <p>Applicable Codes</p> <p>AddressClosed Address closed (7)</p> <p>AddressNotComplete Address not complete (213)</p> <p>AttemptUnsuccessful Attempt unsuccessful (6)</p> <p>AuthorizedSiteIDNotScanned Authorized SiteID not scanned (204)</p> <p>BookingAccepted Booking accepted (DIL)</p>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	Applicable Codes
BookingNotComplete	Booking not complete (91005)
CancelQueue	Cancel queue (203)
ChangeDirection	Change direction (44)
ClaimOnDelivery	ClaimOnDelivery (107)
ClaimOnLoading	Claim on loading (87)
ClaimOpen	Claim open (311)
CompanyClosed	Company closed (338)
CustomerClearance	Customer clearance (12)
CustomerClearanceInProgress	Customer clearance in progress (126)
CustomerClearanceRefused	Customer clearance refused (17)
Damaged	Damaged (14)
DamagedGoodsNorwaySTD	Damaged goods Norway STD (DG)
DamagedPackaging	Damaged Packaging (66)
Delayed	Delayed (8)
DeliveredWithClaim	Delivered with claim (114)
DeliveredWithoutSignature	Delivered without signature (201)
DeliveryScheduled	Delivery scheduled (209)
Destroyed	Destroyed (331)
DifferenceAgainstInformation	Difference against information (115)
Dirty	Dirty (91002)
FixedDeliveryDate	Fixed delivery date (219)
HeldInDepot	Held in depot (57)
InConformity	In Conformity (310)
InTransitExternal	In transit - External (3157)
InWarehouse	In warehouse (112)
InsufficientPackaging	Insufficient packaging (60)
ItemsNotScanned	Items not scanned (202)
MechanicalBreakdown	Mechanical breakdown (35)
MissingDocument	Missing document (241)
MissingPackage	Missing package (45)
MissingPapers	Missing papers (37)
NobodyAtHome	Nobody at home (109)
NotBarcoded	Goods not barcoded (108)
NotDelivered	Not delivered (265)
NotInConformity	Not in conformity (19)
NotLoaded	Not loaded (41)
NotReady	Not ready (43)
NotifiedToCustomer	Notified to customer (242)
PackageNotReady	Package not ready (43)
PackageOpen	Package open (309)
PartialMissing	Partial missing (330)
Refused	Refused without reason given (49)
RefusedCashOnDelivery	Refused - cash on delivery (251)
RefusedMissingPackage	Refused - missing package (56117)
RefusedNoPartOrders	Refused - no part orders (284)
RefusedNoPaymentCOD	Refused - no payment COD (47)
RefusedSpoiledState	Refused - spoiled state (286)
ReturnAccordingInstructions	Return according instructions (80)
Returned	Returned (82)
ScanningCancelled	Scanning cancelled (91014)
UndefinedReason	Undefined reason (771)
UndefinedReasonDriver	Undefined reason driver (69)
Unknown	Unknown (120)
VisitRearranged	Visit rearranged (38)
Weather	Weather conditions (63)
WrongAddress	Wrong address (30)
References	Occurrence 0 .. 1 Type shipmentstatus:ReferenceGroupList General Notes SHIPMENT REFERENCES

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	Examples <References> <ReferenceGroup> <Reference Type="RoadWaybill">1234567890</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="GINCNumber">57012345678901234</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ConsigneeReference">40257012345678901234</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ShipmentReference">40157012345678901234</ Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ScanQuality">76</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="FreightForwarderConsignmentIdentifier">ABCDE-12345</ Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ShipperReference">111,222,333</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="UniqueConsignmentReferenceNumber">ABCDE- 12345</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="QLSReference">00371234567890123456</ Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="SiteId">1234567</Reference> </ReferenceGroup> </References>
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type shipmentstatus:ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type sharedelements:Reference General Notes SHIPMENT REFERENCE
Type	Type xs:string Use required General Notes SHIPMENT REFERENCE TYPE When "CustomsEntryNumber" is used then "IssueDate" is also needed in DSV_StatusMessage/ShipmentStatus/ Shipments/Shipment/StatusDetails/References/ ReferenceGroup/Date/Type
Applicable Codes	
AgentsReference	Agents reference
AirWayBill	Air waybill number
CargoManifestNo	CargoManifestNo
ConsigneeOrderNumber	Consignee's order number

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
Identifier	Applicable Codes
	ConsigneeReference Consignee Reference
	ConsignmentId Consignment id, carrier assigned
	ContainerNumber Container Number
	CustomField Custom Field
	CustomerAccountCode Customer Account Code
	CustomerReferenceNumber Customer reference number
	CustomsEntryNumber Customs Entry Number
	DeliveryAgreement Delivery Agreement
	DocumentReference Document Reference
	EventCode Event Code
	ExternalReference External reference customer reference
	FreightForwarderConsignmentId Consignment id, freight forwarder assigned
	GINCNumber Waybill number, GINC
	HouseBill House bill of lading number
	HouseWayBill House waybill number
	IDSReference IDS reference
	MasterAirWayBill Master air waybill number
	MasterBill Master bill of lading number
	MotorVehicleId Motor vehicle identification number
	OnSightAuthorizationCode On sight authorization code
	OrderReference Order Reference
	ProofOfDeliveryNumber Proof of delivery reference number
	QLSReferenceNumber QLSReferenceNumber
	QualityCode Quality Code
	QualitySource Quality Source
	RoadWaybill Road Waybill number, SIS
	ScanQuality Scanning quality
	ShipmentReference Shipment reference number
	ShipperReference Shipper Reference
	Siteld Siteld
	TransportInstructionNumber Transport instruction number
	UniqueConsignmentReferenceNumber Unique consignment reference number
	VehicleId Vehicle identification number (VIN)
	VesselCountryOfRegistration Vessel Country of Registration
	VesselId Vessel identifier
CustomFieldType	Type xs:string
	Use optional
	General Notes SHIPMENT REFERENCE IDENTIFIER
	Used for Air&Sea when CustomsEntryNumber is used in SHIPMENT REFERENCE TYPE
	Examples
	<References>
	<ReferenceGroup>
	<Reference Type="CustomsEntryNumber"
	Identifier="PermitNumber">123456789</Reference>
	</ReferenceGroup>
	</References>
CustomFieldType	Applicable Codes
	AESInternalTransaction AES Internal Transaction Number (ITN)
	ATACarnet ATA Carnet
	Certificate Certificate
	PermitNumber Permit number
	Transshipment Transshipment
CustomFieldType	Type xs:string
	Use optional

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation										
	<p>General Notes STATUS CUSTOM FIELD TYPE Use to be agreed</p> <p>Examples <ReferenceGroup> <Reference Type="20190709045600" CustomFieldType="DateTime">QA1.1 Issue Date</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="SN-TEST" CustomFieldType= "String">QA1.6 Issue Notes</Reference> </ReferenceGroup></p> <p>Applicable Codes</p> <table> <tr> <td>Boolean</td><td>Boolean custom field</td></tr> <tr> <td>DateTime</td><td>Date Time Custom field</td></tr> <tr> <td>Decimal</td><td>Decimal custom field</td></tr> <tr> <td>Integer</td><td>Integer custom field</td></tr> <tr> <td>String</td><td>String Custom field</td></tr> </table>	Boolean	Boolean custom field	DateTime	Date Time Custom field	Decimal	Decimal custom field	Integer	Integer custom field	String	String Custom field
Boolean	Boolean custom field										
DateTime	Date Time Custom field										
Decimal	Decimal custom field										
Integer	Integer custom field										
String	String Custom field										
Dates	<p>Occurrence 0 .. 1 Type shipmentstatus:DateList General Notes STATUS DATES</p> <p>Examples <Dates> <Date Type="StatusDate" Format="DateTime"> <DateTime>202005271120</DateTime> </Date> </Dates> <Dates> <Date Type="IssueDate" Format="DateTime"> <DateTime>202005261030</DateTime> </Date> </Dates></p>										
xs:sequence	Occurrence 1 .. 1										
Date	<p>Occurrence 0 .. unbounded Type sharedelements:Date Type xs:string Use required General Notes STATUS DATE TYPE</p> <p>"IssueDate" to be used when Reference@Type= "CustomsEntryNumber" is used and should show the document issue date.</p> <p>Applicable Codes</p> <table> <tr> <td>IssueDate</td><td>Document issue date</td></tr> <tr> <td>StatusDate</td><td>Status date/time</td></tr> </table>	IssueDate	Document issue date	StatusDate	Status date/time						
IssueDate	Document issue date										
StatusDate	Status date/time										
<i>Format</i>	<p>Type xs:string Use required General Notes STATUS DATE FORMAT</p> <p>Applicable Codes</p> <table> <tr> <td>DateTime</td><td>CCYYMMDDHHMM</td></tr> <tr> <td>DateTimeSec</td><td>CCYYMMDDHHMMss</td></tr> </table>	DateTime	CCYYMMDDHHMM	DateTimeSec	CCYYMMDDHHMMss						
DateTime	CCYYMMDDHHMM										
DateTimeSec	CCYYMMDDHHMMss										
xs:sequence	Occurrence 1 .. 1										
DateTime	<p>Occurrence 0 .. 1 Type xs:string General Notes STATUS DATE/TIME</p>										

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation										
FreeTextData	<p>Occurrence 0 .. 1</p> <p>Type shipmentstatus:FreeTextList</p> <p>General Notes STATUS FREE TEXT</p> <p>Examples</p> <pre> <FreeTextData> <FreeText Type="GeneralInformation"> <TextLine1>Gen. info Line 1</TextLine1> </FreeText> <FreeText Type="StatusRemarks"> <TextLine1>StatusRemarks Line 1</TextLine1> </FreeText> </FreeTextData> </pre>										
xs:sequence	Occurrence 1 .. 1										
FreeText	<p>Occurrence 0 .. unbounded</p> <p>Type sharedelements:FreeText</p> <p>Type xs:string</p> <p>Use required</p> <p>General Notes FREE TEXT TYPE</p> <p>Applicable Codes</p> <table> <tr> <td>EventDescription</td><td>Status Event Description</td></tr> <tr> <td>GeneralInformation</td><td>General Information</td></tr> <tr> <td>PassThrough</td><td>Pass Through Text, use to be agreed</td></tr> <tr> <td>StatusRemarks</td><td>Status Remarks</td></tr> <tr> <td>ZEL</td><td>Status eventcode IDS</td></tr> </table>	EventDescription	Status Event Description	GeneralInformation	General Information	PassThrough	Pass Through Text, use to be agreed	StatusRemarks	Status Remarks	ZEL	Status eventcode IDS
EventDescription	Status Event Description										
GeneralInformation	General Information										
PassThrough	Pass Through Text, use to be agreed										
StatusRemarks	Status Remarks										
ZEL	Status eventcode IDS										
xs:sequence	Occurrence 1 .. 1										
DescriptionCode	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>General Notes FREE TEXT DESCRIPTION CODE</p> <p>Use to be agreed</p> <p>To be used with FreeText/@Type = "PassThrough"</p>										
TextLine1	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>General Notes STATUS FREE TEXT LINE 1</p>										
TextLine2	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>General Notes STATUS FREE TEXT LINE 2</p>										
TextLine3	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>General Notes STATUS FREE TEXT LINE 3</p>										
TextLine4	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>General Notes STATUS FREE TEXT LINE 4</p>										
TextLine5	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>General Notes STATUS FREE TEXT LINE 5</p>										
Parties	<p>Occurrence 0 .. 1</p> <p>Type shipmentstatus:PartiesList</p> <p>General Notes STATUS PARTIES</p> <p>Examples</p> <pre> <Parties> <Party> <PartyDetails Role="AcceptingParty"> </PartyDetails> </Party> </Parties> </pre>										

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	Examples <Contact Type="GoodsReceivingContact"> <Name>Mickey Mouse</Name> </Contact> </Party> </Parties>
xs:sequence	Occurrence 1 .. 1
Party	Occurrence 0 .. unbounded Type shipmentstatus:PartyList
xs:sequence	Occurrence 1 .. 1
PartyDetails	Occurrence 0 .. 1 Type sharedelements:PartyDetails General Notes STATUS PARTY DETAILS
Role	Type xs:string Use required General Notes STATUS PARTY ROLE
	Applicable Codes
	AcceptingParty Accepting party
Contact	Occurrence 0 .. unbounded Type sharedelements:Contact General Notes PARTY CONTACT DETAILS
Type	Type xs:string Use required General Notes PARTY CONTACT TYPE
	Applicable Codes
	GoodsReceivingContact
xs:sequence	Occurrence 1 .. 1
Name	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT NAME
Phone	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT TELEPHONE NUMBER
Mobile	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT MOBILE PHONE NUMBER
Fax	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT FAX NUMBER
Email	Occurrence 0 .. 1 Type xs:string General Notes PARTY CONTACT E-MAIL ADDRESS
Locations	Occurrence 0 .. 1 Type shipmentstatus:LocationList General Notes STATUS LOCATIONS
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 0 .. unbounded Type sharedelements:Location General Notes STATUS LOCATION
	Examples <Locations>

Bold = Element, Italic = Attribute, Grey = Group

DSV XML Status Inbound; v1.9
Issue date: 2025-05-07
Print date: 2025-05-07
Generated by GEFEG.FX
Page: 25 /

Element/Attribute	Annotation
	Examples <LocationName>Copenahgen</LocationName> </LocationIdentification> </Location> </Locations>
Type	Type xs:string Use required General Notes STATUS LOCATION TYPE - ACTIVITY LOCATION
xs:sequence	
LocationIdentification	Applicable Codes ActivityLocation Activity Location Occurrence 1 .. 1 Occurrence 1 .. unbounded Type sharedelements:LocationIdentification Type xs:string General Notes STATUS LOCATION IDENTIFIER TYPE - ACTIVITY LOCATION
Type	
xs:sequence	
LocationIdentifier	Applicable Codes UN UN Location Code Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION IDENTIFIER - ACTIVITY LOCATION
LocationName	Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION NAME - ACTIVITY LOCATION
Location <PlaceOfRegistration>	Occurrence 0 .. unbounded Type sharedelements:Location General Notes STATUS LOCATION - PLACE OF REGISTRATION Examples <Locations> <Location Type="PlaceOfRegistration"> <LocationIdentification Type="Siteld"> <LocationIdentifier>SS123456</LocationIdentifier> <LocationName>MSSE</LocationName> </LocationIdentification> <LocationIdentification Type="Longitude"> <LocationIdentifier>12.52649671</LocationIdentifier> </LocationIdentification> <LocationIdentification Type="Latitude"> <LocationIdentifier>58.12123014</LocationIdentifier> </LocationIdentification> </Location> </Locations>
Type	Type xs:string Use required General Notes STATUS LOCATION TYPE - PLACE OF REGISTRATION
xs:sequence	
LocationIdentification	Applicable Codes PlaceOfRegistration Place of registration Occurrence 1 .. 1 Occurrence 1 .. unbounded Type sharedelements:LocationIdentification Type xs:string
Type	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	General Notes STATUS LOCATION IDENTIFIER TYPE - PLACE OF REGISTRATION Applicable Codes Latitude Latitude Longitude Longitude SiteId SiteId
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION IDENTIFIER - PLACE OF REGISTRATION
LocationIdentifier	
LocationName	Occurrence 0 .. 1 Type xs:string General Notes STATUS LOCATION NAME - PLACE OF REGISTRATION
TransportStages	Occurrence 0 .. 1 Type shipmentstatus:TransportStageList General Notes TRANSPORT STAGES Examples <TransportStages> <TransportStage> <Stage Type="MainCarriage"> <ModeOfTransport>Road</ModeOfTransport> </Stage> </TransportStage> </TransportStages>
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type shipmentstatus:TransportStage
TransportStage	
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type sharedelements:Stage Type xs:string Use required General Notes TRANSPORT STAGE TYPE Applicable Codes MainCarriage
Stage	
<i>Type</i>	
xs:sequence	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes MODE OF TRANSPORT Applicable Codes Air Rail Road Sea
ModeOfTransport	
TransportId	Occurrence 0 .. 1 Type xs:string General Notes TRANSPORT IDENTIFICATION Air: Flight number Sea: Voyage number Road: Not used
CarrierId	Occurrence 0 .. 1 Type xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	General Notes TRANSPORT STAGE CARRIER IDENTIFICATION
References	Occurrence 0 .. 1 Type shipmentstatus:ReferenceGroupList General Notes TRANSPORT STAGE REFERENCES
xs:sequence	Occurrence 1 .. 1
ReferenceGroup	Occurrence 0 .. unbounded Type shipmentstatus:ReferenceGroup
xs:sequence	Occurrence 1 .. 1
Reference	Occurrence 0 .. 1 Type sharedelements:Reference
Type	Type xs:string Use required General Notes TRANSPORT STAGE REFERENCE TYPE
Applicable Codes	
MasterBill	Master Bill
GoodsItems	Occurrence 0 .. 1 Type shipmentstatus:GoodsItemList General Notes GOODS ITEMS
xs:sequence	Occurrence 1 .. 1
GoodsItem	Occurrence 0 .. unbounded Type shipmentstatus:GoodsItem
xs:sequence	Occurrence 1 .. 1
Item	Occurrence 0 .. 1 Type sharedelements:Item General Notes ITEM DETAILS
Examples	
<Item> <ItemNumber>1</ItemNumber> <PackageQty>1</PackageQty> <PackageType>CLL</PackageType> </Item>	
xs:sequence	Occurrence 1 .. 1
ItemNumber	Occurrence 0 .. 1 Type xs:string General Notes ITEM NUMBER
PackageQty	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE QUANTITY
PackageType	Occurrence 0 .. 1 Type xs:string General Notes PACKAGE TYPE
Measurements	Occurrence 0 .. 1 Type shipmentstatus:MeasurementsList General Notes GOODS ITEM MEASUREMENTS
Examples	
<Measurements> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>12.5</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR"> <Measure>0.3</Measure> </Measurement>	

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	Examples <Measurement Type="Volume" Uom="MTQ"> <Measure>0.221</Measure> <Measurement Type="PalletSpaces" Uom="PLL"> <Measure>2</Measure> </Measurement> </Measurements>
xs:sequence Measurement	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type sharedelements:Measurement Type xs:string Use required General Notes GOODS ITEM MEASUREMENT TYPE
Type	
	Applicable Codes GrossWeight Gross Weight LoadingMeters Loading Meters NetWeight Net Weight NumberOfPackages Number of Packages PalletSpaces Pallet Spaces Volume Volume
Uom	Type xs:string General Notes GOODS ITEM MEASUREMENT UNIT OF MEASURE
	Applicable Codes KGM Kilograms MTQ Cubic Meters MTR Loading Meters PLL Pallet spaces
xs:sequence Measure	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xs:string General Notes GOODS ITEM MEASUREMENT
Dimensions	Occurrence 0 .. 1 Type shipmentstatus:DimensionsList General Notes GOODS ITEM DIMENSIONS
	Examples <Dimensions> <Dimension Type="Gross" Uom="MTR"> <Length>1</Length> <Width>2</Width> <Height>3.1</Height> </Dimension> </Dimensions>
xs:sequence Dimension	Occurrence 1 .. 1 Occurrence 0 .. unbounded Type sharedelements:Dimension Type xs:string Use required General Notes GOODS ITEM DIMENSIONS TYPE
Type	
	Applicable Codes Gross Gross Dimensions
Uom	Type xs:string General Notes GOODS ITEM DIMENSIONS UNIT OF MEASURE
xs:sequence	Occurrence 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
Length	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - LENGTH
Width	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - WIDTH
Height	Occurrence 0 .. 1 Type xs:string General Notes DIMENSION - HEIGHT
Packagelds	Occurrence 0 .. 1 Type shipmentstatus:Packagelds General Notes PACKAGE IDENTIFICATION AND MARKINGS Examples <Packagelds> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>00357105322138028411</GoodsIdentifier> </GoodsIdentities> </Packagelds> <Packagelds> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>163671311</GoodsIdentifier> <GoodsIdentifier>16487163671663</GoodsIdentifier> </GoodsIdentities> </Packagelds>
xs:sequence	Occurrence 1 .. 1
GoodsIdentities	Occurrence 0 .. unbounded Type sharedelements:GoodsIdentity General Notes PACKAGE BAR CODES
Type	Type xs:string Use required General Notes TYPE OF IDENTIFIER Applicable Codes SSCC Serial shipping container code SerialNumber Serial number
xs:sequence	Occurrence 1 .. 1
GoodsIdentifier	Occurrence 1 .. unbounded Type xs:string General Notes GOODS IDENTIFIER
EquipmentUnits	Occurrence 0 .. 1 Type shipmentstatus:EquipmentUnitsList General Notes EQUIPMENT INFORMATION
xs:sequence	Occurrence 1 .. 1
EquipmentUnit	Occurrence 0 .. unbounded Type shipmentstatus:EquipmentUnit General Notes EQUIPMENT UNIT DETAILS Examples For containerized sea freight: <EquipmentUnit> <EquipmentType> <Type>Container</Type> <UnitId>MSCU1234567</UnitId>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																																																														
	Examples <SizeTypeCode>40GP</SizeTypeCode> <ISOCode>42G0</SizeTypeCode> <FullOrEmptyIndicator>F</FullOrEmptyIndicator> </EquipmentType> </EquipmentUnit>																																																														
xs:sequence	Occurrence 1 .. 1																																																														
EquipmentType	Occurrence 0 .. 1 Type sharedelements:EquipmentType General Notes EQUIPMENT TYPE INFORMATION																																																														
xs:sequence	Occurrence 1 .. 1																																																														
Type	Occurrence 0 .. 1 Type xs:string General Notes EQUIPMENT TYPE																																																														
	Applicable Codes																																																														
	Container																																																														
UnitId	Occurrence 0 .. 1 Type xs:string General Notes SHIPPING CONTAINER NUMBER																																																														
SizeTypeCode	Occurrence 0 .. 1 Type xs:string General Notes CONTAINER SIZE AND TYPE DSV specified Container Type for Shipping Container Applicable Codes																																																														
	<table> <tr> <td>10DC</td><td>10 ft General Purpose</td></tr> <tr> <td>10GP_SOC</td><td>10 ft Self-powered reefer</td></tr> <tr> <td>12GP</td><td>12 ft General Purpose</td></tr> <tr> <td>20DC</td><td>20 ft General Purpose</td></tr> <tr> <td>20DC_HT</td><td>20 ft Hardtop</td></tr> <tr> <td>20DC_PW</td><td>20 ft Pallet Wide</td></tr> <tr> <td>20FR</td><td>20 ft Flatrack</td></tr> <tr> <td>20FR_SO</td><td>20 ft Flatrack, Shippers Own</td></tr> <tr> <td>20FT MAFI</td><td>20 ft MAFI</td></tr> <tr> <td>20GOH</td><td>20 ft GOH</td></tr> <tr> <td>20GOHDB</td><td>20 ft GOH, Double bar</td></tr> <tr> <td>20GOHSB</td><td>20 ft GOH, Single bar</td></tr> <tr> <td>20GOH_SO</td><td>20 ft GOH, Shippers Own</td></tr> <tr> <td>20GP</td><td>20 ft General Purpose</td></tr> <tr> <td>20GP_FG</td><td>20 ft Food Grade</td></tr> <tr> <td>20GP_SO</td><td>20 ft General Purpose, Shippers Own</td></tr> <tr> <td>20HC</td><td>20 ft High Cube</td></tr> <tr> <td>20HCRE</td><td>20 ft High Cube Reefer</td></tr> <tr> <td>20HCRE_SO</td><td>20 ft High Cube Reefer, Shippers Own</td></tr> <tr> <td>20HC_PW</td><td>20 ft High Cube, Pallet Wide</td></tr> <tr> <td>20HC_SO</td><td>20 ft High Cube, Shippers Own</td></tr> <tr> <td>20HC_UV</td><td>20 ft High Cube, Upper Vents</td></tr> <tr> <td>20NOR</td><td>20 ft Self-powered reefer</td></tr> <tr> <td>20OT</td><td>20 ft Open Top</td></tr> <tr> <td>20OT_SO</td><td>20 ft Open Top, Shippers Own</td></tr> <tr> <td>20PL</td><td>20 ft Platform</td></tr> <tr> <td>20RE</td><td>20 ft Reefer</td></tr> <tr> <td>20SH</td><td>20 ft HQ Steel</td></tr> <tr> <td>20TC</td><td>20 ft Tank</td></tr> <tr> <td>20TC_SO</td><td>20 ft Tank, Shippers Own</td></tr> <tr> <td>22T0</td><td>20 ft Tank</td></tr> </table>	10DC	10 ft General Purpose	10GP_SOC	10 ft Self-powered reefer	12GP	12 ft General Purpose	20DC	20 ft General Purpose	20DC_HT	20 ft Hardtop	20DC_PW	20 ft Pallet Wide	20FR	20 ft Flatrack	20FR_SO	20 ft Flatrack, Shippers Own	20FT MAFI	20 ft MAFI	20GOH	20 ft GOH	20GOHDB	20 ft GOH, Double bar	20GOHSB	20 ft GOH, Single bar	20GOH_SO	20 ft GOH, Shippers Own	20GP	20 ft General Purpose	20GP_FG	20 ft Food Grade	20GP_SO	20 ft General Purpose, Shippers Own	20HC	20 ft High Cube	20HCRE	20 ft High Cube Reefer	20HCRE_SO	20 ft High Cube Reefer, Shippers Own	20HC_PW	20 ft High Cube, Pallet Wide	20HC_SO	20 ft High Cube, Shippers Own	20HC_UV	20 ft High Cube, Upper Vents	20NOR	20 ft Self-powered reefer	20OT	20 ft Open Top	20OT_SO	20 ft Open Top, Shippers Own	20PL	20 ft Platform	20RE	20 ft Reefer	20SH	20 ft HQ Steel	20TC	20 ft Tank	20TC_SO	20 ft Tank, Shippers Own	22T0	20 ft Tank
10DC	10 ft General Purpose																																																														
10GP_SOC	10 ft Self-powered reefer																																																														
12GP	12 ft General Purpose																																																														
20DC	20 ft General Purpose																																																														
20DC_HT	20 ft Hardtop																																																														
20DC_PW	20 ft Pallet Wide																																																														
20FR	20 ft Flatrack																																																														
20FR_SO	20 ft Flatrack, Shippers Own																																																														
20FT MAFI	20 ft MAFI																																																														
20GOH	20 ft GOH																																																														
20GOHDB	20 ft GOH, Double bar																																																														
20GOHSB	20 ft GOH, Single bar																																																														
20GOH_SO	20 ft GOH, Shippers Own																																																														
20GP	20 ft General Purpose																																																														
20GP_FG	20 ft Food Grade																																																														
20GP_SO	20 ft General Purpose, Shippers Own																																																														
20HC	20 ft High Cube																																																														
20HCRE	20 ft High Cube Reefer																																																														
20HCRE_SO	20 ft High Cube Reefer, Shippers Own																																																														
20HC_PW	20 ft High Cube, Pallet Wide																																																														
20HC_SO	20 ft High Cube, Shippers Own																																																														
20HC_UV	20 ft High Cube, Upper Vents																																																														
20NOR	20 ft Self-powered reefer																																																														
20OT	20 ft Open Top																																																														
20OT_SO	20 ft Open Top, Shippers Own																																																														
20PL	20 ft Platform																																																														
20RE	20 ft Reefer																																																														
20SH	20 ft HQ Steel																																																														
20TC	20 ft Tank																																																														
20TC_SO	20 ft Tank, Shippers Own																																																														
22T0	20 ft Tank																																																														

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																																																																																																
	Applicable Codes <table> <tr><td>30FT MAFI</td><td>30 ft MAFI</td></tr> <tr><td>40' RT</td><td>40 ft Roll Trailer</td></tr> <tr><td>40DC</td><td>40 ft General Purpose</td></tr> <tr><td>40DC_HT</td><td>40 ft Hardtop</td></tr> <tr><td>40DC_PW</td><td>40 ft Pallet Wide</td></tr> <tr><td>40DDL_HC</td><td>40 ft High Cube, Double Door</td></tr> <tr><td>40DDL_HCSO</td><td>40 ft High Cube, Double Door, Shippers Own</td></tr> <tr><td>40FR</td><td>40 ft Flatrack</td></tr> <tr><td>40FR_SO</td><td>40 ft Flatrack, Shippers Own</td></tr> <tr><td>40FT MAFI</td><td>40 ft MAFI</td></tr> <tr><td>40GOH</td><td>40 ft GOH</td></tr> <tr><td>40GOHDB</td><td>40 ft GOH, Double Bar</td></tr> <tr><td>40GOHSB</td><td>40 ft GOH, Single Bar</td></tr> <tr><td>40GP</td><td>40 ft General Purpose</td></tr> <tr><td>40GP_FG</td><td>40 ft Food Grade</td></tr> <tr><td>40GP_SO</td><td>40 ft General Purpose, Shippers Own</td></tr> <tr><td>40HC</td><td>40 ft High Cube</td></tr> <tr><td>40HCGOHDB</td><td>40 ft High Cube, GOH, Double Bar</td></tr> <tr><td>40HCGOHSB</td><td>40 ft High Cube, GOH, Single Bar</td></tr> <tr><td>40HC_FG</td><td>40 ft High Cube, Food Grade</td></tr> <tr><td>40HC_FR</td><td>40 ft High Cube, Platform based</td></tr> <tr><td>40HC_GOH</td><td>40 ft High Cube GOH</td></tr> <tr><td>40HC_HT</td><td>40 ft High Cube, Hardtop</td></tr> <tr><td>40HC_OT</td><td>40 ft High Cube, Open Top</td></tr> <tr><td>40HC_OT_SO</td><td>40 ft High Cube, Open Top, Open End</td></tr> <tr><td>40HC_PW</td><td>40 ft High Cube, Pallet Wide</td></tr> <tr><td>40HC_SO</td><td>40ft High Cube, Shippers Own</td></tr> <tr><td>40NOR</td><td>40 ft High Cube, self powered Reefer</td></tr> <tr><td>40OT</td><td>40 ft Open Top</td></tr> <tr><td>40OTS</td><td>40 ft Open Top and Side</td></tr> <tr><td>40OT_OE</td><td>40 ft Open Top and End</td></tr> <tr><td>40OT_SO</td><td>40 ft Open Top, Shippers Own</td></tr> <tr><td>40OT_SO_MO</td><td>40 ft Open Top, Shippers Own, Coil Carrier</td></tr> <tr><td>40PL</td><td>40 ft Platform</td></tr> <tr><td>40RE</td><td>40 ft Reefer</td></tr> <tr><td>40REHC</td><td>40 ft High Cube Reefer</td></tr> <tr><td>40SH</td><td>40 ft HQ Steel</td></tr> <tr><td>40SRACK</td><td>40 ft Adjustable Flat Rack</td></tr> <tr><td>45GPHC</td><td>45 ft High Cube, Pallet wide</td></tr> <tr><td>45HC</td><td>45 ft High Cube</td></tr> <tr><td>45HC_SO</td><td>45 ft High Cube, Shippers Own</td></tr> <tr><td>45REHC</td><td>45 ft High Cube Reefer</td></tr> <tr><td>48'FR</td><td>48 ft Dropdeck Flatbed</td></tr> <tr><td>50 FT MAFI</td><td>50 ft MAFI</td></tr> <tr><td>53HC</td><td>53 ft High Cube</td></tr> <tr><td>53ST</td><td>53 ft Air Ride Dry Van</td></tr> <tr><td>60' RT</td><td>60 ft Roll Trailer</td></tr> <tr><td>60FT MAFI</td><td>60 ft MAFI</td></tr> </table>	30FT MAFI	30 ft MAFI	40' RT	40 ft Roll Trailer	40DC	40 ft General Purpose	40DC_HT	40 ft Hardtop	40DC_PW	40 ft Pallet Wide	40DDL_HC	40 ft High Cube, Double Door	40DDL_HCSO	40 ft High Cube, Double Door, Shippers Own	40FR	40 ft Flatrack	40FR_SO	40 ft Flatrack, Shippers Own	40FT MAFI	40 ft MAFI	40GOH	40 ft GOH	40GOHDB	40 ft GOH, Double Bar	40GOHSB	40 ft GOH, Single Bar	40GP	40 ft General Purpose	40GP_FG	40 ft Food Grade	40GP_SO	40 ft General Purpose, Shippers Own	40HC	40 ft High Cube	40HCGOHDB	40 ft High Cube, GOH, Double Bar	40HCGOHSB	40 ft High Cube, GOH, Single Bar	40HC_FG	40 ft High Cube, Food Grade	40HC_FR	40 ft High Cube, Platform based	40HC_GOH	40 ft High Cube GOH	40HC_HT	40 ft High Cube, Hardtop	40HC_OT	40 ft High Cube, Open Top	40HC_OT_SO	40 ft High Cube, Open Top, Open End	40HC_PW	40 ft High Cube, Pallet Wide	40HC_SO	40ft High Cube, Shippers Own	40NOR	40 ft High Cube, self powered Reefer	40OT	40 ft Open Top	40OTS	40 ft Open Top and Side	40OT_OE	40 ft Open Top and End	40OT_SO	40 ft Open Top, Shippers Own	40OT_SO_MO	40 ft Open Top, Shippers Own, Coil Carrier	40PL	40 ft Platform	40RE	40 ft Reefer	40REHC	40 ft High Cube Reefer	40SH	40 ft HQ Steel	40SRACK	40 ft Adjustable Flat Rack	45GPHC	45 ft High Cube, Pallet wide	45HC	45 ft High Cube	45HC_SO	45 ft High Cube, Shippers Own	45REHC	45 ft High Cube Reefer	48'FR	48 ft Dropdeck Flatbed	50 FT MAFI	50 ft MAFI	53HC	53 ft High Cube	53ST	53 ft Air Ride Dry Van	60' RT	60 ft Roll Trailer	60FT MAFI	60 ft MAFI
30FT MAFI	30 ft MAFI																																																																																																
40' RT	40 ft Roll Trailer																																																																																																
40DC	40 ft General Purpose																																																																																																
40DC_HT	40 ft Hardtop																																																																																																
40DC_PW	40 ft Pallet Wide																																																																																																
40DDL_HC	40 ft High Cube, Double Door																																																																																																
40DDL_HCSO	40 ft High Cube, Double Door, Shippers Own																																																																																																
40FR	40 ft Flatrack																																																																																																
40FR_SO	40 ft Flatrack, Shippers Own																																																																																																
40FT MAFI	40 ft MAFI																																																																																																
40GOH	40 ft GOH																																																																																																
40GOHDB	40 ft GOH, Double Bar																																																																																																
40GOHSB	40 ft GOH, Single Bar																																																																																																
40GP	40 ft General Purpose																																																																																																
40GP_FG	40 ft Food Grade																																																																																																
40GP_SO	40 ft General Purpose, Shippers Own																																																																																																
40HC	40 ft High Cube																																																																																																
40HCGOHDB	40 ft High Cube, GOH, Double Bar																																																																																																
40HCGOHSB	40 ft High Cube, GOH, Single Bar																																																																																																
40HC_FG	40 ft High Cube, Food Grade																																																																																																
40HC_FR	40 ft High Cube, Platform based																																																																																																
40HC_GOH	40 ft High Cube GOH																																																																																																
40HC_HT	40 ft High Cube, Hardtop																																																																																																
40HC_OT	40 ft High Cube, Open Top																																																																																																
40HC_OT_SO	40 ft High Cube, Open Top, Open End																																																																																																
40HC_PW	40 ft High Cube, Pallet Wide																																																																																																
40HC_SO	40ft High Cube, Shippers Own																																																																																																
40NOR	40 ft High Cube, self powered Reefer																																																																																																
40OT	40 ft Open Top																																																																																																
40OTS	40 ft Open Top and Side																																																																																																
40OT_OE	40 ft Open Top and End																																																																																																
40OT_SO	40 ft Open Top, Shippers Own																																																																																																
40OT_SO_MO	40 ft Open Top, Shippers Own, Coil Carrier																																																																																																
40PL	40 ft Platform																																																																																																
40RE	40 ft Reefer																																																																																																
40REHC	40 ft High Cube Reefer																																																																																																
40SH	40 ft HQ Steel																																																																																																
40SRACK	40 ft Adjustable Flat Rack																																																																																																
45GPHC	45 ft High Cube, Pallet wide																																																																																																
45HC	45 ft High Cube																																																																																																
45HC_SO	45 ft High Cube, Shippers Own																																																																																																
45REHC	45 ft High Cube Reefer																																																																																																
48'FR	48 ft Dropdeck Flatbed																																																																																																
50 FT MAFI	50 ft MAFI																																																																																																
53HC	53 ft High Cube																																																																																																
53ST	53 ft Air Ride Dry Van																																																																																																
60' RT	60 ft Roll Trailer																																																																																																
60FT MAFI	60 ft MAFI																																																																																																
ISOCode	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>General Notes SHIPPING CONTAINER ISO CODE</p> <p>The list provided here is not the complete ISO list, only commonly used codes.</p> Applicable Codes <table> <tr><td>12G1</td><td>10 ft General Purpose</td></tr> <tr><td>22G0</td><td>20 ft General Purpose</td></tr> </table>	12G1	10 ft General Purpose	22G0	20 ft General Purpose																																																																																												
12G1	10 ft General Purpose																																																																																																
22G0	20 ft General Purpose																																																																																																

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	Applicable Codes
	22G1 20 ft General Purpose
	22K8 20 ft Pressurized Tank
	22P0 20 ft Platform
	22R0 20 ft Reefer
	22U0 20ft Open top
	24G0 20 ft High Cube General Purpose
	24R0 20 ft High Cube Reefer
	42G0 40 ft General Purpose
	42P1 40 ft Platform
	42R1 40 ft Reefer
	42U1 40 ft Open Top
	42U6 40 ft Open Top
	42U9 40 ft Open Top, Coil Carrier
	45G0 40 ft High Cube General Purpose
	45R0 40 ft High Cube, non-operating Reefer
	45R1 40 ft High cube Reefer
	45R9 40 ft High cube, self powered Reefer
	45U6 40 ft High Cube, Open Top
	FullOrEmptyIndicator
	Occurrence 0 .. 1
	Type xs:string
	General Notes SHIPPING CONTAINER FULL OR EMPTY
	Recommended for Container Status Updates
	Applicable Codes
	E Empty Container
	F Full Container