



Message Implementation Guideline

## **DSV\_StatusMessage**

Model: DSV XML Status Outbound  
Version: v2.0  
Issue date: 2025-05-07  
Author: DSV A/S, EDI

## Structure

Occurrence	Element/Attribute
	<b>DSV_StatusMessage</b>
1 .. 1	xs:sequence
1 .. 1	<b>Header</b>
1 .. 1	xs:sequence
1 .. 1	<b>MessageId</b>
1 .. 1	<b>SenderId</b>
1 .. 1	<b>ReceiverId</b>
1 .. 1	<b>DocumentDate</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
1 .. 1	<b>DocumentCode</b>
1 .. 1	<b>Function</b>
1 .. 1	<b>Version</b>
1 .. 1	<b>ShipmentStatus</b>
1 .. 1	xs:sequence
0 .. 1	<b>Dates</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Date</b>
required	<i>Type</i>
required	<i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
0 .. 1	<b>Shipments</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>Shipment</b>
1 .. 1	xs:sequence
1 .. 1	<b>ShipmentId</b>
0 .. 1	<b>ControlTotals</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ControlTotal</b>
required	<i>Type</i>
	<i>Uom</i>
1 .. 1	xs:sequence
0 .. 1	<b>Quantity</b>
0 .. unbounded	<b>StatusDetails</b>
1 .. 1	xs:sequence
0 .. 1	<b>Status</b>
required	<i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>StatusEventCode</b>
0 .. 1	<b>StatusEventCode &lt;A&amp;S&gt;</b>
0 .. 5	<b>StatusReasonCode</b>
0 .. 1	<b>References</b>
1 .. 1	xs:sequence
0 .. unbounded	<b>ReferenceGroup</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1 required	<b>Reference</b> <i>Type</i>
<b>0 .. 1</b>	<b>Dates</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required required	<b>Date</b> <i>Type</i> <i>Format</i>
1 .. 1	xs:sequence
0 .. 1	<b>DateTime</b>
<b>0 .. 1</b>	<b>FreeTextData</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b> required	<b>FreeText</b> <i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>TextLine1</b>
0 .. 1	<b>TextLine2</b>
0 .. 1	<b>TextLine3</b>
0 .. 1	<b>TextLine4</b>
0 .. 1	<b>TextLine5</b>
<b>0 .. 1</b>	<b>Parties</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>Party</b>
1 .. 1	xs:sequence
<b>0 .. 1</b> required	<b>PartyDetails</b> <i>Role</i>
1 .. 1	xs:sequence
0 .. 1	<b>Id</b>
0 .. 1	<b>Assignor</b>
0 .. 1	<b>PartyName</b>
0 .. 1	<b>AddressLine1</b>
0 .. 1	<b>AddressLine2</b>
0 .. 1	<b>AddressLine3</b>
0 .. 1	<b>CityName</b>
0 .. 1	<b>State</b>
0 .. 1	<b>PostCode</b>
0 .. 1	<b>CountryCode</b>
<b>0 .. unbounded</b> required	<b>Contact</b> <i>Type</i>
1 .. 1	xs:sequence
0 .. 1	<b>Name</b>
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b> required	<b>Location</b> <i>Type</i>
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b> <i>Type</i>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	LocationIdentifier
0 .. 1	LocationName
<b>0 .. 1</b>	<b>TransportStages</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>TransportStage</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Stage</b>
required	Type
1 .. 1	xs:sequence
0 .. 1	ModeOfTransport
0 .. 1	TransportId
0 .. 1	CarrierId
0 .. 1	CarrierName
0 .. 1	TransportType
0 .. 1	TransportMeansName
0 .. 1	TransportMeansNationality
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Location</b>
required	Type
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
	Type
1 .. 1	xs:sequence
0 .. 1	LocationIdentifier
<b>0 .. 1</b>	<b>References</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>ReferenceGroup</b>
1 .. 1	xs:sequence
0 .. 1	Reference
required	Type
<b>0 .. 1</b>	<b>GoodsItems</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>GoodsItem</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Item</b>
1 .. 1	xs:sequence
0 .. 1	ItemNumber
<b>0 .. 1</b>	<b>Locations</b>
1 .. 1	xs:sequence
<b>0 .. unbounded</b>	<b>LocationGroup</b>
1 .. 1	xs:sequence
<b>0 .. 1</b>	<b>Location</b>
required	Type
1 .. 1	xs:sequence
<b>1 .. unbounded</b>	<b>LocationIdentification</b>
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
0 .. 1	LocationIdentifier
0 .. 1	Measurements
1 .. 1	xs:sequence
0 .. unbounded required	Measurement
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Measure
0 .. 1	Dimensions
1 .. 1	xs:sequence
0 .. unbounded required	Dimension
	Type
	Uom
1 .. 1	xs:sequence
0 .. 1	Length
0 .. 1	Width
0 .. 1	Height
0 .. 1	Packagelds
1 .. 1	xs:sequence
0 .. unbounded	Packageld
1 .. 1	xs:sequence
1 .. 1	InstructionCode
0 .. unbounded required	GoodsIdentities
	Type
1 .. 1	xs:sequence
1 .. unbounded	GoodsIdentifier

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

## Guideline

Element/Attribute	Annotation
<b>DSV_StatusMessage</b>	
xs:sequence	Occurrence 1 .. 1
<b>Header</b>	Occurrence 1 .. 1 Type Header <b>General Notes</b> MESSAGE HEADER  <b>Examples</b> <Header> <Messageld>12485236</Messageld> <SenderId>SenderIdentification</SenderId> <ReceiverId>ReceiverIdentification</ReceiverId> <DocumentDate Type="DocumentDate" Format="DateTime"> <DateTime>202505010000</DateTime> </DocumentDate> <DocumentCode>ConsignmentStatusReport</DocumentCode> <Function>New</Function> <Version>1.0</Version> </Header>
xs:sequence	Occurrence 1 .. 1
<b>Messageld</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> MESSAGE IDENTIFICATION
<b>SenderId</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> SENDER IDENTIFICATION Mutually agreed
<b>ReceiverId</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> RECEIVER IDENTIFICATION Mutually agreed
<b>DocumentDate</b>	Occurrence 1 .. 1 Type Date
<i>Type</i>	Type xs:string Use required <b>General Notes</b> DOCUMENT / MESSAGE DATE TYPE  <b>Applicable Codes</b> <b>IssueDate</b> Document Issued Date
<i>Format</i>	Type xs:string Use required <b>General Notes</b> DOCUMENT / MESSAGE DATE FORMAT  <b>Applicable Codes</b> <b>DateTime</b> CCYYMMDDHHMM
xs:sequence	Occurrence 1 .. 1
<b>DateTime</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> DOCUMENT / MESSAGE DATE/TIME
<b>DocumentCode</b>	Occurrence 1 .. 1 Type xs:string <b>General Notes</b> DOCUMENT TYPE  <b>Applicable Codes</b> <b>ConsignmentStatusReport</b> Consignment Status Report
<b>Function</b>	Occurrence 1 .. 1 Type xs:string

Bold = Element, *Italic* = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>General Notes</b> DOCUMENT/MESSAGE FUNCTION <b>Applicable Codes</b> <b>New</b> New
<b>Version</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> MESSAGE VERSION <b>Applicable Codes</b> <b>1.0</b> Version 1.0
<b>ShipmentStatus</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> ShipmentStatus <b>General Notes</b> SHIPMENT STATUS
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Dates</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> DateList <b>General Notes</b> SHIPMENT STATUS DATES <b>Examples</b> <Dates> <Date Format="DateTime" Type="IssueDate"> <DateTime>202505010900</DateTime> </Date> <Date Format="Date" Type="ActualCollection"> <DateTime>20250501</DateTime> </Date> <Date Format="DateTimeInterval" Type="EstimatedDelivery"> <DateTime>202505011200-202505011700</DateTime> </Date> </Dates>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Date</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> Date
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SHIPMENT STATUS DATE TYPE <b>Applicable Codes</b> <b>ActualArrival</b> Actual Arrival (ATA) <b>ActualCollection</b> Actual Collection <b>ActualDelivery</b> Actual Delivery <b>ActualDeparture</b> Actual Departure (ATD) <b>Collection</b> Collection <b>DeliveryRequested</b> Delivery Requested <b>EstimatedCollection</b> Estimated Collection <b>EstimatedDelivery</b> Estimated Delivery <b>IssueDate</b> Document Issued Date <b>ScheduledArrival</b> Scheduled Arrival <b>ScheduledDeparture</b> Scheduled Departure <b>ScheduledShipmentArrival</b> Scheduled Shipment Arrival <b>ScheduledShipmentDeparture</b> Scheduled Shipment Departure
<i>Format</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SHIPMENT STATUS DATE FORMAT <b>Applicable Codes</b> <b>Date</b> CCYYMMDD <b>DateTime</b> CCYYMMDDHHMM <b>DateTimeInterval</b> CCYYMMDDHHMM-CCYYMMDDHHMM

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div><b>DateTime</b></div> </div>	<b>Applicable Codes</b> <b>DateTimeSec</b> CCYYMMDDHHMMSS <b>Occurrence</b> 1 .. 1 <b>Type</b> xs:string <b>General Notes</b> SHIPMENT STATUS DATE/TIME
<b>Shipments</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> ShipmentList <b>General Notes</b> SHIPMENTS
<div> <div>xs:sequence</div> <div><b>Shipment</b></div> </div>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> Shipment
<div> <div>xs:sequence</div> <div><b>ShipmentId</b></div> </div>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. 1 <b>Type</b> ShipmentId <b>General Notes</b> SHIPMENT IDENTIFICATION  <b>Examples</b> <ShipmentId>SampleShipment</ShipmentId>
<b>ControlTotals</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> ControlTotalList <b>General Notes</b> SHIPMENT CONTROL TOTALS  <b>Examples</b> <ControlTotals> <ControlTotal Type="NumberOfPackages"> <Quantity>20</Quantity> </ControlTotal> <ControlTotal Type="GrossWeight" Uom="KGM"> <Quantity>101.01</Quantity> </ControlTotal> <ControlTotal Type="Volume" Uom="MTQ"> <Quantity>2</Quantity> </ControlTotal> <ControlTotal Type="LoadingMeters" Uom="MTR"> <Quantity>12</Quantity> </ControlTotal> <ControlTotal Type="PalletSpaces" Uom="PLL"> <Quantity>10</Quantity> </ControlTotal> </ControlTotals>
<div> <div>xs:sequence</div> <div><b>ControlTotal</b></div> </div>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> ControlTotal
<div> <div>Type</div> </div>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> SHIPMENT CONTROL TOTAL TYPE  <b>Applicable Codes</b> <b>GrossWeight</b> Gross Weight <b>LoadingMeters</b> Loading Meters <b>NumberOfPackages</b> Number Of Packages <b>PalletSpaces</b> Pallet Spaces <b>Volume</b> Volume
<div> <div>Uom</div> </div>	<b>Type</b> xs:string <b>General Notes</b> SHIPMENT CONTROL TOTAL UNIT OF MEASURE

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>CTN</b> Cartons <b>KGM</b> Kilograms <b>MTQ</b> Cubic metres <b>MTR</b> Linear Metres <b>PKG</b> Packages
xs:sequence	Occurrence 1 .. 1
<b>Quantity</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPMENT QUANTITY
<b>StatusDetails</b>	Occurrence 0 .. unbounded Type StatusInformation <b>General Notes</b> STATUS DETAILS
xs:sequence	Occurrence 1 .. 1
<b>Status</b>	Occurrence 0 .. 1 Type Status <b>General Notes</b> SHIPMENT STATUS  <b>Examples</b> <Status Type="Consignment" > <StatusEventCode>Delivered</StatusEventCode> <StatusReason>Z</StatusReason> </Status>
Type	Type xs:string Use required <b>General Notes</b> SHIPMENT STATUS TYPE
	<b>Applicable Codes</b> <b>Consignment</b> Consignment Level <b>GoodsItem</b> Goods Item Level
xs:sequence	Occurrence 1 .. 1
<b>StatusEventCode</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> STATUS EVENT CODE
	<b>Applicable Codes</b> <b>Arrived</b> Arrived <b>Collected</b> Collected <b>Delivered</b> Delivered <b>Departed/Loaded</b> Departed / Loaded <b>EstimatedArrival</b> Estimated Arrival <b>EstimatedDelivery</b> Estimated Delivery <b>EstimatedDeparture</b> Estimated Departure <b>EstimatedPickup</b> Estimated Pickup <b>InterimReceipt</b> Interim Receipt <b>NotCollected</b> Not Collected <b>NotDelivered</b> Not Delivered
<b>StatusEventCode &lt;A&amp;S&gt;</b>	Occurrence 0 .. 1 Type xs:string <b>General Notes</b> SHIPMENT STATUS EVENT CODE (AIR AND SEA)  In the description for each event code, there is a DSV defined code and a DSV Division indicator. A&S indicates that it is mainly used for Air&Sea  <b>Examples</b> <StatusEventCode>Arrived</StatusEventCode> Code Name: Arrived (ARV - A&S)

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Applicable Codes</b>
<b>ActualDelivery</b>	Actual Delivery (DLV - A&S)
<b>ActualPickup</b>	Actual Pickup (PUP - A&S)
<b>ArrivalNoticeSendingDate</b>	Arrival Notice Sending Date (DDV - A&S)
<b>Arrived</b>	Arrived (ARV - A&S)
<b>CargoAvailable</b>	Cargo Available (CAV - A&S)
<b>CargoAvailableAtDeconsolidator</b>	Cargo Available At Deconsolidator (CVD - A&S)
<b>CargoAvailableForExportPickup</b>	Cargo Available For Export Pickup (CAE - A&S)
<b>CargoCheckIn</b>	Cargo Check-in (CCI - A&S)
<b>ClearAdmission</b>	Customs Clear Admission (CES - A&S)
<b>ClearanceInstructionsReceived</b>	Clearance instructions received
<b>CustomsCleared</b>	Customs Cleared (CLR - A&S)
<b>CustomsCommenced</b>	Customs Commenced (CCC - A&S)
<b>CustomsFileCreated</b>	Customs file created
<b>CustomsHold</b>	Customs Hold
<b>CustomsReported</b>	Customs Reported
<b>Dehire</b>	Container Dehire (DHR - A&S)
<b>DeliveryCartageFinalised</b>	Delivery Cartage Finalised / Completed (DCF - A&S)
<b>DeliveryOrderReceived</b>	Delivery order received
<b>ExWorks</b>	Ex Works (EXW - A&S)
<b>ExportCustomsCleared</b>	Export Customs Cleared (ECC - A&S)
<b>ExportCustomsCommenced</b>	Export Customs Commenced (ECM - A&S)
<b>FreightLoaded</b>	Freight Loaded (FLO - A&S)
<b>FreightUnloaded</b>	Freight Unloaded
<b>GateIn</b>	Container Gate-In (GIN - A&S)
<b>GateInCFS</b>	Gate In CFS
<b>GateOut</b>	Container Gate-Out (GOU - A&S)
<b>GateOutCFS</b>	Gate Out CFS
<b>HandoverCargo</b>	Handover of Cargo (Z73 - A&S)
<b>HandoverDocuments</b>	Handover of Documents (Z74 - A&S)
<b>HandoverResponsibility</b>	Handover Responsibility of Cargo (Z70 - A&S)
<b>InterimReceipt</b>	Interim Receipt (IRP - A&S)
<b>ManifestSubmittedToForwarder</b>	Manifest Submitted to Forwarder (MSF - A&S)
<b>PickupCartageFinalised</b>	Pickup Cartage Finalised / Completed (PCF - A&S)
<b>SetToActive</b>	Set to Active
<b>SetToInactive</b>	Set To Inactive
<b>WarehouseReceipt</b>	Warehouse Receipt (WHR - A&S)
<b>StatusReasonCode</b>	<b>Occurrence</b> 0 .. 5 <b>Type</b> xs:string <b>General Notes</b> STATUS REASON CODE <b>Applicable Codes</b> <b>AppointmentScheduled</b> Appointment scheduled <b>AttemptUnsuccessful</b> Attempt unsuccessful <b>ChangedSchedule</b> Changed schedule <b>Damaged</b> Damaged <b>DamagedPackaging</b> Damaged Packaging <b>DeliveredWithoutSignature</b> Delivered without signature <b>Discrepancy</b> Discrepancy <b>GoodsNotBarcoded</b> Goods not barcoded <b>HandledByDriverWithoutScanner</b> Handled by driver without scanner <b>IncorrectAddress</b> Incorrect address

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>Applicable Codes</b> <b>MechanicalBreakdown</b> Mechanical breakdown <b>MissingDocuments</b> Missing and/or incorrect documents <b>NewDeliveryArrangements</b> New delivery arrangements <b>Notloaded</b> Not loaded <b>Opened</b> Opened <b>PackageNotReady</b> Package not ready <b>PhotoTaken</b> Photo taken <b>RefusedWithoutreasonGiven</b> Refused without reason given <b>Torn</b> Torn <b>UnacceptableCondition</b> Unacceptable condition <b>Unknown</b> Unknown <b>WeatherConditions</b> Weather conditions <b>Wet</b> Wet
<b>References</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> ReferenceGroupList <b>General Notes</b> STATUS REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="HouseBill" >ABC0013200</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="OrderReference" >ABCREF123</Reference> </ReferenceGroup> <ReferenceGroup> <Reference Type="ConsignmentId" >DEFG00132</Reference> </ReferenceGroup> </References>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ReferenceGroup</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> ReferenceGroup
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Reference</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> Reference <b>General Notes</b> STATUS REFERENCE
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> STATUS REFERENCE TYPE  Predefined Types listed, additional reference types to be agreed
	<b>Applicable Codes</b> <b>ConsigneeOrderNumber</b> Consignee's order number <b>ConsigneeReference</b> Consignee Reference <b>ConsignmentId</b> Consignment id, carrier assigned <b>CustomField</b> Custom Field <b>CustomerAccountCode</b> Customer Account Code <b>CustomerReferenceNumber</b> Customer reference number <b>DeliveryAgreement</b> Delivery Agreement <b>DocumentReference</b> Document Reference <b>EventCode</b> Event Code <b>ExternalReference</b> External reference customer reference number  <b>GINCNumber</b> Waybill number, GINC <b>HouseBill</b> House bill of lading number <b>IDSReference</b> IDS reference

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																														
	<div><div>Applicable Codes</div><table><tr><td>MasterBill</td><td>Master bill of lading number</td></tr><tr><td>OnSightAuthorizationCode</td><td>On sight authorization code</td></tr><tr><td>OrderReference</td><td>Order Reference</td></tr><tr><td>PackageNumber</td><td>Package Number</td></tr><tr><td>ProofOfDeliveryNumber</td><td>Proof of delivery reference number</td></tr><tr><td>QualityCode</td><td>Quality Code</td></tr><tr><td>QualitySource</td><td>Quality Source</td></tr><tr><td>RoadWaybill</td><td>Road Waybill number, SIS</td></tr><tr><td>ShipmentReference</td><td>Shipment reference number</td></tr><tr><td>ShipperReference</td><td>Shipper Reference</td></tr><tr><td>TrafficFrom</td><td>Traffic From</td></tr><tr><td>TransportInstructionNumber</td><td>Transport instruction number</td></tr><tr><td>VehicleId</td><td>Vehicle identification number ( VIN)</td></tr><tr><td>VesselCountryOfRegistration</td><td>Vessel Country of Registration</td></tr><tr><td>VesselId</td><td>Vessel identifier</td></tr></table></div>	MasterBill	Master bill of lading number	OnSightAuthorizationCode	On sight authorization code	OrderReference	Order Reference	PackageNumber	Package Number	ProofOfDeliveryNumber	Proof of delivery reference number	QualityCode	Quality Code	QualitySource	Quality Source	RoadWaybill	Road Waybill number, SIS	ShipmentReference	Shipment reference number	ShipperReference	Shipper Reference	TrafficFrom	Traffic From	TransportInstructionNumber	Transport instruction number	VehicleId	Vehicle identification number ( VIN)	VesselCountryOfRegistration	Vessel Country of Registration	VesselId	Vessel identifier
MasterBill	Master bill of lading number																														
OnSightAuthorizationCode	On sight authorization code																														
OrderReference	Order Reference																														
PackageNumber	Package Number																														
ProofOfDeliveryNumber	Proof of delivery reference number																														
QualityCode	Quality Code																														
QualitySource	Quality Source																														
RoadWaybill	Road Waybill number, SIS																														
ShipmentReference	Shipment reference number																														
ShipperReference	Shipper Reference																														
TrafficFrom	Traffic From																														
TransportInstructionNumber	Transport instruction number																														
VehicleId	Vehicle identification number ( VIN)																														
VesselCountryOfRegistration	Vessel Country of Registration																														
VesselId	Vessel identifier																														
Dates	<div><div>Occurence0 .. 1</div><div>TypeDateList</div><div>General NotesSTATUS DATES</div><div>Examples&lt;Dates&gt;&lt;Date Type="StatusDate" Format="DateTime"&gt;&lt;DateTime&gt;202505010900&lt;/DateTime&gt;&lt;/Date&gt;&lt;/Dates&gt;</div></div>																														
<div>xs:sequence</div> <div>Date</div>	<div><div>Occurence1 .. 1</div><div>Occurence0 .. unbounded</div><div>TypeDate</div><div>Typexs:string</div><div>Userequired</div><div>General NotesSTATUS DATE TYPE</div></div>																														
<div>Type</div>																															
<div>Format</div>	<div><div>Applicable Codes</div><table><tr><td>StatusDate</td><td>Status change date/time</td></tr></table><div>Typexs:string</div><div>Userequired</div><div>General NotesSTATUS DATE FORMAT</div></div>	StatusDate	Status change date/time																												
StatusDate	Status change date/time																														
	<div><div>Applicable Codes</div><table><tr><td>Date</td><td>CCYYMMDD</td></tr><tr><td>DateTime</td><td>CCYYMMDDHHMM</td></tr><tr><td>DateTimeInterval</td><td>CCYYMMDDHHMM-CCYYMMDDHHMM</td></tr><tr><td>DateTimeSec</td><td>CCYYMMDDHHMMSS</td></tr></table></div>	Date	CCYYMMDD	DateTime	CCYYMMDDHHMM	DateTimeInterval	CCYYMMDDHHMM-CCYYMMDDHHMM	DateTimeSec	CCYYMMDDHHMMSS																						
Date	CCYYMMDD																														
DateTime	CCYYMMDDHHMM																														
DateTimeInterval	CCYYMMDDHHMM-CCYYMMDDHHMM																														
DateTimeSec	CCYYMMDDHHMMSS																														
<div>xs:sequence</div> <div>DateTime</div>	<div><div>Occurence1 .. 1</div><div>Occurence0 .. 1</div><div>Typexs:string</div><div>General NotesSTATUS DATE / TIME</div></div>																														
FreeTextData	<div><div>Occurence0 .. 1</div><div>TypeFreeTextList</div><div>General NotesSTATUS FREE TEXT</div><div>Examples&lt;FreeTextData&gt;&lt;FreeText Type="StatusRemarks" &gt;&lt;TextLine1&gt;Statusremarks 1&lt;/TextLine1&gt;&lt;/FreeText&gt;&lt;/FreeTextData&gt;</div></div>																														

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
<b>FreeText</b>	Occurrence 0 .. unbounded
Type	FreeText
Type	xs:string
Use	required
<b>General Notes</b>	STATUS FREE TEXT TYPE
	Predefined Types listed, additional FreeText types to be agreed
<b>Applicable Codes</b>	
<b>PodUrl</b>	Proof Of Delivery URL
<b>StatusRemarks</b>	Status Remarks
xs:sequence	Occurrence 1 .. 1
<b>TextLine1</b>	Occurrence 0 .. 1
Type	xs:string
<b>General Notes</b>	STATUS FREE TEXT LINE 1
<b>TextLine2</b>	Occurrence 0 .. 1
Type	xs:string
<b>General Notes</b>	STATUS FREE TEXT LINE 2
<b>TextLine3</b>	Occurrence 0 .. 1
Type	xs:string
<b>General Notes</b>	STATUS FREE TEXT LINE 3
<b>TextLine4</b>	Occurrence 0 .. 1
Type	xs:string
<b>General Notes</b>	STATUS FREE TEXT LINE 4
<b>TextLine5</b>	Occurrence 0 .. 1
Type	xs:string
<b>General Notes</b>	STATUS FREE TEXT LINE 5
<b>Parties</b>	Occurrence 0 .. 1
Type	PartiesList
<b>General Notes</b>	SHIPMENT PARTY INFORMATION
xs:sequence	Occurrence 1 .. 1
<b>Party</b>	Occurrence 0 .. unbounded
Type	Party
xs:sequence	Occurrence 1 .. 1
<b>PartyDetails</b>	Occurrence 0 .. 1
Type	PartyDetails
<b>General Notes</b>	PARTY DETAILS
<b>Examples</b>	
<PartyDetails Role="Consignor"> <Id>ConsignorID</Id> <Assignor>Consignor</Assignor> <PartyName>Consignor Name</PartyName> <AddressLine1>Consignor Addr Line 1</AddressLine1> <AddressLine2>Consignor Addr Line 2</AddressLine2> <AddressLine3>Consignor Addr Line 3</AddressLine3> <CityName>Consignor City</CityName> <State>Consignor State</State> <PostCode>PostCd</PostCode> <CountryCode>DK</CountryCode> </PartyDetails>	
<b>Role</b>	Type xs:string
	Use required

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
	<b>General Notes</b> PARTY ROLE
	<b>Applicable Codes</b>
	<b>AcceptingParty</b> Accepting Party
	<b>Consignee</b> Consignee
	<b>Consignor</b> Consignor
	<b>Delivery</b> Delivery
	<b>Despatch</b> Despatch
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Id</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY IDENTIFIER
<b>Assignor</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY IDENTIFIER ASSIGNOR
	<b>Applicable Codes</b>
	<b>Consignor</b> Consignor assigned
	<b>DSV</b> DSV Assigned
	<b>GS1</b> GS1 Assigned
<b>PartyName</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY NAME
<b>AddressLine1</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY ADDRESS LINE 1
<b>AddressLine2</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY ADDRESS LINE 2
<b>AddressLine3</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY ADDRESS LINE 3
<b>CityName</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY CITY NAME
<b>State</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY STATE OR PROVINCE
<b>PostCode</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY POST OR ZIP CODE
<b>CountryCode</b>	<b>Occurrence</b> 0 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PARTY COUNTRY ISO CODE
<b>Contact</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> Contact
	<b>General Notes</b> PARTY CONTACT DETAILS
	<b>Examples</b>
	<Contact Type="InformationContact">
	<Name>Contact name</Name>
	</Contact>
<b>Type</b>	<b>Type</b> xs:string
	<b>Use</b> required

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>General Notes</b> PARTY CONTACT TYPE <b>Applicable Codes</b> <b>GoodsReceivingContact</b> Goods Receiving Contact <b>InformationContact</b> Information Contact
xs:sequence <b>Name</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> PARTY CONTACT NAME
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> LocationGroupList <b>General Notes</b> STATUS LOCATIONS  <b>Examples</b> <Locations> <Location Type="StatusLocation"> <LocationIdentification Type="UN"> <LocationIdentifier>DKHOR</LocationIdentifier> <LocationName>Horsens</LocationName> </LocationIdentification> </Location> </Locations>
xs:sequence <b>LocationGroup</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> LocationGroup
xs:sequence <b>Location</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> Location
<i>Type</i>	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> STATUS LOCATION TYPE <b>Applicable Codes</b> <b>StatusLocation</b> Status Location
xs:sequence <b>LocationIdentification</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 1 .. unbounded <b>Type</b> LocationIdentification
<i>Type</i>	<b>Type</b> xs:string <b>General Notes</b> STATUS LOCATION IDENTIFIER TYPE <b>Applicable Codes</b> <b>UN</b> UN Location Code
xs:sequence <b>LocationIdentifier</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> STATUS LOCATION IDENTIFIER
<b>LocationName</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> STATUS LOCATION NAME
<b>TransportStages</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> TransportStageList <b>General Notes</b> TRANSPORTATION STAGES Road: Not used
xs:sequence <b>TransportStage</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> TransportStage
xs:sequence	<b>Occurrence</b> 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation				
<b>Stage</b>	<p>Occurrence 0 .. 1 Type Stage <b>General Notes</b> TRANSPORTATION STAGE</p> <p><b>Examples</b>            &lt;Stage Type="MainCarriage"&gt;              &lt;ModeOfTransport&gt;Sea&lt;/ModeOfTransport&gt;              &lt;TransportId&gt;0123W&lt;/TransportId&gt;              &lt;CarrierId&gt;61616161&lt;/CarrierId&gt;              &lt;CarrierName&gt;Carrier name&lt;/CarrierName&gt;              &lt;TransportType&gt;Main&lt;/TransportType&gt;              &lt;TransportMeansName&gt;Vessel name&lt;/TransportMeansName&gt;              &lt;TransportMeansNationality&gt;PA&lt;/TransportMeansNationality&gt;            &lt;/Stage&gt;</p>				
<i>Type</i>	<p>Type xs:string Use required <b>General Notes</b> TRANSPORTATION STAGE TYPE</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>MainCarriage</b></td> <td>Main Carriage</td> </tr> </table>	<b>MainCarriage</b>	Main Carriage		
<b>MainCarriage</b>	Main Carriage				
<i>xs:sequence</i>	Occurrence 1 .. 1				
<b>ModeOfTransport</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> MODE OF TRANSPORTATION</p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>Air</b></td> <td>Air transportation</td> </tr> <tr> <td><b>Sea</b></td> <td>Sea transportation</td> </tr> </table>	<b>Air</b>	Air transportation	<b>Sea</b>	Sea transportation
<b>Air</b>	Air transportation				
<b>Sea</b>	Sea transportation				
<b>TransportId</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT IDENTIFICATION            Air: Flight number            Sea: Voyage number            Road: Not used</p>				
<b>CarrierId</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> CARRIER IDENTIFICATION            Air &amp; Sea: DSV carrier identifier            Road: Not used</p>				
<b>CarrierName</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> CARRIER NAME            Road: Not used</p>				
<b>TransportType</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT TYPE            Road: Not used</p>				
<b>TransportMeansName</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT MEANS NAME            Sea: Vessel Name            Air &amp; Road: Not used</p>				
<b>TransportMeansNationality</b>	<p>Occurrence 0 .. 1 Type xs:string <b>General Notes</b> TRANSPORT MEANS NATIONALITY            Sea: Vessel flag</p>				

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	Air & Road: Not used
<b>Locations</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> LocationGroupList <b>General Notes</b> TRANSPORTATION LOCATIONS  <b>Examples</b> <Locations> <Location Type="PlaceOfLoading" > <LocationIdentification Type="UN" > <LocationIdentifier>USHOU</LocationIdentifier> </LocationIdentification> </Location> <Location Type="PlaceOfUnloading" > <LocationIdentification Type="UN" > <LocationIdentifier>HKHKG</LocationIdentifier> </LocationIdentification> </Location> </Locations>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationGroup</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> LocationGroup
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>Location</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> Location
Type	<b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> TRANSPORTATION LOCATION TYPE  <b>Applicable Codes</b> <b>PlaceOfLoading</b> Place of Loading <b>PlaceOfUnloading</b> Place of Unloading
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentification</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> LocationIdentification <b>General Notes</b> LOCATION IDENTIFICATION
Type	<b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER TYPE  <b>Applicable Codes</b> <b>UN</b> UN Location Code
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>LocationIdentifier</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER
<b>References</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> ReferenceGroupList <b>General Notes</b> TRANSPORTATION STAGE REFERENCES  <b>Examples</b> <References> <ReferenceGroup> <Reference Type="MasterBill">MasterBill</Reference> </ReferenceGroup> </References>
xs:sequence	<b>Occurrence</b> 1 .. 1
<b>ReferenceGroup</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> ReferenceGroup

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<div> <div>xs:sequence</div> <div><b>Reference</b></div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> </div>
<div> <div>Type</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> <div>Type</div> <div>Reference</div> <div>General Notes</div> <div>TRANSPORTATION STAGE REFERENCE</div> </div>
<div> <div>GoodsItems</div> </div>	<div> <div>Type</div> <div>xs:string</div> <div>Use</div> <div>required</div> <div>General Notes</div> <div>REFERENCE TYPE</div> </div>
<div>Applicable Codes</div>	
<div> <div>MasterBill</div> </div>	<div> <div>Master Bill</div> </div>
<div> <div>xs:sequence</div> <div><b>GoodsItem</b></div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> <div>Type</div> <div>GoodsItemList</div> <div>General Notes</div> <div>SHIPMENT LINE ITEMS</div> </div>
<div> <div>xs:sequence</div> <div><b>Item</b></div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> <div>Occurrence</div> <div>0 .. 1</div> <div>Type</div> <div>Item</div> <div>General Notes</div> <div>GOODS ITEM DETAILS</div> </div>
<div>Examples</div>	
<div> <div>&lt;Item&gt;</div> <div>&lt;ItemNumber&gt;1&lt;/ItemNumber&gt;</div> <div>&lt;PackageQty&gt;20&lt;/PackageQty&gt;</div> <div>&lt;PackageType&gt;PKG&lt;/PackageType&gt;</div> <div>&lt;/Item&gt;</div> </div>	
<div> <div>xs:sequence</div> <div><b>ItemNumber</b></div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> <div>Occurrence</div> <div>0 .. 1</div> <div>Type</div> <div>xs:string</div> <div>General Notes</div> <div>LINE ITEM NUMBER</div> </div>
<div> <div>Locations</div> </div>	<div> <div>Occurrence</div> <div>0 .. 1</div> <div>Type</div> <div>LocationGroupList</div> <div>General Notes</div> <div>LINE ITEM GOODS LOCATION</div> </div>
<div>Examples</div>	
<div> <div>&lt;Locations&gt;</div> <div>&lt;Location Type="GoodsItemLocation"&gt;</div> <div>&lt;LocationIdentification Type="UN"&gt;</div> <div>&lt;LocationIdentifier&gt;DKHOR&lt;/LocationIdentifier&gt;</div> <div>&lt;/LocationIdentification&gt;</div> <div>&lt;/Location&gt;</div> <div>&lt;/Locations&gt;</div> </div>	
<div> <div>xs:sequence</div> <div><b>LocationGroup</b></div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> <div>Occurrence</div> <div>0 .. unbounded</div> <div>Type</div> <div>LocationGroup</div> </div>
<div> <div>xs:sequence</div> <div><b>Location</b></div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> <div>Occurrence</div> <div>0 .. 1</div> <div>Type</div> <div>Location</div> </div>
<div> <div>Type</div> </div>	<div> <div>Type</div> <div>xs:string</div> <div>Use</div> <div>required</div> <div>General Notes</div> <div>LOCATION TYPE</div> </div>
<div>Applicable Codes</div>	
<div> <div>GoodsItemLocation</div> </div>	<div> <div>Goods Item Location</div> </div>
<div> <div>xs:sequence</div> </div>	<div> <div>Occurrence</div> <div>1 .. 1</div> </div>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>LocationIdentification</b> xs:sequence <b>LocationIdentifier</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> LocationIdentification <b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> LOCATION IDENTIFIER
<b>Measurements</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> MeasurementList <b>General Notes</b> LINE ITEM MEASUREMENTS  <b>Examples</b> <Measurements> <Measurement Type="GrossWeight" Uom="KGM"> <Measure>10.03</Measure> </Measurement> <Measurement Type="NetWeight" Uom="KGM"> <Measure>8.03</Measure> </Measurement> <Measurement Type="Volume" Uom="MTQ"> <Measure>2.03</Measure> </Measurement> <Measurement Type="LoadingMeters" Uom="MTR"> <Measure>2.05</Measure> </Measurement> <Measurement Type="PalletSpaces" Uom="PLL"> <Measure>5</Measure> </Measurement> </Measurements>
xs:sequence <b>Measurement</b> Type	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> Measurement <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> MEASUREMENT TYPE  <b>Applicable Codes</b> <b>GrossWeight</b> Line Item Gross Weight <b>LoadingMeters</b> Line Item Loading Meters <b>NetWeight</b> Line Item Net Weight <b>PalletSpaces</b> Line Item Pallet Spaces <b>Volume</b> Line Item Volume
Uom	<b>Type</b> xs:string <b>General Notes</b> MEASUREMENT UNIT OF MEASURE  <b>Applicable Codes</b> <b>KGM</b> Kilograms <b>MTQ</b> Cubic Metres <b>MTR</b> Linear Metre <b>PLL</b> Pallet Spaces
xs:sequence <b>Measure</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> MEASUREMENT VALUE
<b>Dimensions</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> DimensionsList <b>General Notes</b> LINE ITEM DIMENSIONS  <b>Examples</b> <Dimensions>

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Examples</b> <Dimension Type="Gross" Uom="MTR"> <Length>0.6</Length> <Width>0.2</Width> <Height>0.8</Height> </Dimension> </Dimensions>
xs:sequence <b>Dimension</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. unbounded <b>Type</b> Dimension <b>Type</b> xs:string <b>Use</b> required <b>General Notes</b> DIMENSION TYPE
Type	
Uom	<b>Applicable Codes</b> <b>Gross</b> Line Item Gross Dimensions <b>Type</b> xs:string <b>General Notes</b> DIMENSIONS UNIT OF MEASURE
	<b>Applicable Codes</b> <b>CMT</b> Centimetres <b>MTR</b> Metres
xs:sequence <b>Length</b>	<b>Occurrence</b> 1 .. 1 <b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> DIMENSION - LENGTH
Width	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> DIMENSION - WIDTH
Height	<b>Occurrence</b> 0 .. 1 <b>Type</b> xs:string <b>General Notes</b> DIMENSION - HEIGHT
<b>Packagelds</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> Packagelds <b>General Notes</b> PACKAGE IDENTIFICATION AND MARKINGS
	<b>Examples</b> <Packagelds> <Packageld> <InstructionCode>PackageMarks</InstructionCode> <Marks> <ShippingMark>Package1</ShippingMark> <ShippingMark>Package2</ShippingMark> <ShippingMark>Package3</ShippingMark> </Marks> </Packageld> <GoodsIdentities Type="SerialNumber"> <GoodsIdentifier>00034306500101392630</GoodsIdentifier> <GoodsIdentifier>00034306500101392647</GoodsIdentifier> <GoodsIdentifier>00034306500101392654</GoodsIdentifier> </GoodsIdentities> <GoodsIdentities Type="SSCC"> <GoodsIdentifier>370716481208016082</GoodsIdentifier> <GoodsIdentifier>370716481208016099</GoodsIdentifier> <GoodsIdentifier>373323991620976376</GoodsIdentifier> </GoodsIdentities> </Packagelds>

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>Packageld</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> Packageld
	<b>General Notes</b> PACKAGE MARKS & NUMBERS
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>InstructionCode</b>	<b>Occurrence</b> 1 .. 1
	<b>Type</b> xs:string
	<b>General Notes</b> PACKAGE MARKS TYPE
	<b>Applicable Codes</b>
	<b>PackageMarks</b> Package Marks and Numbers
<b>GoodsIdentities</b>	<b>Occurrence</b> 0 .. unbounded
	<b>Type</b> GoodsIdentity
	<b>General Notes</b> PACKAGE BAR CODES
<i>Type</i>	<b>Type</b> xs:string
	<b>Use</b> required
	<b>General Notes</b> TYPE OF IDENTIFIER
	<b>Applicable Codes</b>
	<b>SSCC</b> Serial Shipping Container Code
	<b>SerialNumber</b> Serial Number
<i>xs:sequence</i>	<b>Occurrence</b> 1 .. 1
<b>GoodsIdentifier</b>	<b>Occurrence</b> 1 .. unbounded
	<b>Type</b> xs:string
	<b>General Notes</b> GOODS IDENTIFIER

Bold = Element, Italic = Attribute, Grey = Group